

Yealink's Core Offerings for Microsoft Teams

Yealink offers a full portfolio audio and video devices solution for Microsoft Teams that allows different professionals to work the way they love in meeting rooms, in-the-office, and on-the-go, as well as working remotely. The Teams-tailored experience helps the joint customers realize the vision of Intelligent Communication backed by a top tier one-stop UC endpoint solution provider.



One-stop Teams voice and video solutions to reduce the costs of procurement & support/services



True Teams 'best of breed' with consistent Teams experience to drive user adoption



Tenant admins can manage the devices via Yealink Device Management Platform



Global Coverage & Support Services

Professional support and post-sales services for worldwide customers









Full Portfolio Video Devices for Microsoft Teams



Yealink offers a full portfolio video devices solution for Microsoft Teams, covering from huddle to extra-large meeting spaces, including Microsoft Teams Rooms (MTR) on Android, Microsoft Teams Rooms on Windows, and video phone. To meet different requirements of customers, Yealink not only provides the MeetingBar A20 and A30 for small and medium spaces, but also provides the MVC940 room system that can meet the needs of extra-large rooms covering up to 30 users.

With Yealink video solution, users can enjoy the premium video and audio experience, easy deployment and remote management via Yealink Device Management Platform, all of these bring the consistent and seamless Teams experience to every space.

Microsoft Teams Rooms on Android



MeetingBar A20 for huddle and small rooms



All-in-one MeetingBar for smart Teams collaboration



133° field of view, 20MP, Al-powered camera



HD full-duplex audio experience



Quick setup and easy to manage



MeetingBar A30 for medium rooms



All-in-one MeetingBar with smart Al features



O Dual-camera system for large views



HD full-duplex audio and great pickup range



Plug-and-play setup and easy management

Microsoft Teams Video Phone



VP59 Teams Video Phone

for executive desk and huddle rooms



Start Teams meeting easily with standalone Teams video phone



Compatible with superb audio & video devices



Quick setup within 4 steps of cable connection

Specifications

MeetingBar A20 Teams Edition

A20 -Teams Package

- · MeetingBar A20
- · 3m Ethernet cable
- · 1.8m HDMI cable *2
- Mounting Bracket and Accessories
- · Power adapter
- · Quick Start Guide

Camera

- · 20MP Camera
- · 133° field of view
- · 8x e-PTZ camera
- · Electric privacy shutter
- · Al Feature
- Auto Framing
- Speaker Tracking

Audio

- · Built-in 8 MEMS microphone array
- · Support extention mic
- Built-in 5W high fidelity speaker
- · Yealink Noise Proof Technology
- Beamforming directed voice pickup technology
- · Full-deplex
- · Echo cancellation

Meeting Features

- · Calendar
- · One-click join
- · Proximity join
- · PSTN dial-in
- · Meeting collaboration
- Content sharing
- Whiteboard
- · Meeting control:
- Add participates
- Hold/Resume
- 11010/110001110
- Camera On/OffMute/Unmute
- Volume Up/Down
- Hang up

MeetingBar A30 Teams Edition

A30 -Teams Package

- · MeetingBar A30
- · 3m Ethernet cable
- · 2 x 1.8m HDMI cable
- · Mounting Bracket and Accessories
- · Power adapter
- · Quick Start Guide
- · Controller (optional):
- CTP18 Touch Panel
- VCR20 Remote Control
- · Content sharing(optional):
- VCH51 Sharing Kit (HDMI/USB-C)
- WPP20 Wireless Presentation Pod

Dual Camera System

Wide Camera:

- · 8MP Camera
- · Field of view: 120°
- · 4x e-PTZ Camera

Telephoto Camera:

- · 8MP Camera
- · Field of view: 90°
- · 10x Hybrid Zoom (3.5x optical, 3x digital)
- · Horizontal Rotation Angle: +25°/-25°
- Vertically Rotation
 Angle: +16°/-16°
- · Electric Privacy Shutter
- · Intelligence Features
- Auto Framing
- Speaker Tracking

Audio

- · Built-in 8 MEMS microphone array
- · Support extention mic
- Two Built-in 5W high fidelity speaker
- · Yealink Noise Proof Technology
- Beamforming directed voice pickup technology
- · Full-duplex
- · Echo cancellation

Meeting Features

- · Calendar
- · One-click join
- · Meeting collaboration
- Content sharing
- Whiteboard
- · Meeting control
- Add participates
- Hold/Resume
- Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang up
- Microsoft DM
- Proximity join

VP59 Teams Edition

- · 8 inch (1280 x 800) capacitive adjustable touch screen
- · Optimal HD audio, support Yealink Noise Proof technology
- · HDMI for connection to monitor or TV Based on Android 9.0
- Full-duplex hands-free speakerphone with AEC
- · Microsoft Teams-tailored user interface
- Support Microsoft/Yealink/ Unify Square device management platform
- · 2 mega-pixel HD camera with privacyshutter
- · Built-in Bluetooth 4.2
- · Built-in dual band 2.4G/5G Wi-Fi
- · USB 2.0 port
- · Dual-port Gigabit Ethernet, PoE support

Microsoft Teams Rooms System on Windows

Complete Bundle Solution

The Yealink MVC II series is a bundle video solution for Microsoft Teams Rooms (MTR) that includes everything you need to interact, connect, and collaborate with internal and external users seamlessly and intelligently, covering every scenario from small to extra-large spaces.



Consistent Teams Experience

- · Easy to Use
- · One-touch to join



Wireless Content Sharing

· One tap to share content wirelessly with WPP20



Simplified Cabling System

- · Shorten deployment time
- · For all MVC II room systems

Tailored Voice and Video Experience for Diverse Meeting Rooms



MVC320 for focus and small rooms (2-6 users)



UVC30

4K camera, 120°FoV, Auto Framing



HD voice, full-duplex, 10ft/6 meter pickup range





MVC400 for huddle and small rooms (2-7 users)



UVC40 All-in-One USB Video Bar

Al features: Auto Framing & Speaker Tracking 20MP, 133° FoV



noise proof, full-duplex, built-in 8 MEMS microphone





MVC640 for small rooms (6-11 users)



4K camera, 12x optical zoom, Auto Framing



MSpeech

HD voice, full-duplex, 10ft/6 meter pickup range





for medium and large rooms (12-18 users)



UVC84

4K camera, 12x optical zoom, Auto Framing



360° 20 feet voice pickup range, cascade connection for up to 6 units





for extra-large rooms (>18 users)



4K camera, 12x optical zoom, multi-camera solution with Camera Hub(up to 9 cameras)




Flexible Audio Options

work with Yealink VCM34 microphone, VCM38 ceiling microphone with MSpeaker II



		TI OCTICS TO	ıms Room Sys						
Module	Feature	es	MVC940	MVC840	MVC640	MVC400	MVC320		
			 		10		=0		
				rr					
	Target Roo	m Size	Extra large rooms	Large rooms	Medium rooms	Small rooms	Focus rooms		
	Mini-PC		Yealink MCore						
Components	Touch Console & Sharing Device		Yealink MTouch II						
	USB Camera		Camera Hub 2x Yealink UVC84 4k 12X optical PTZ camera	Yealink UVC84 4K 12X optical PTZ camera	Yealink UVC84 4K 12X optical PTZ camera	V "	Yealink UVC30 Room 4K camera		
	Audio		Flexible options	2x VCM34 array mics+Yealink soundbar 3x VCM34 array mics + 2x Yealink soundbar	Yealink MSpeech tabletop speakerphone	Yealink UVC40 all-in-one USB video bar	Yealink MSpeech tabletop speakerphone		
	Wireless Presentation		2x WPP20	1x WPP20	Optional	Optional	Optional		
	CPU Memony		8th-gen Intel QUAD-CORE i5-8265U						
	Memory Storage		8GB (2*4GB) 128GB SSD						
	Video Output		2x HDMI, CEC supported						
MCore	USB		4x USB3.0						
	Wi-Fi		√						
	Bluetooth Yealink VCH Port		√						
	Cable Management		\						
	Screen Size		√ 8 inches IPS screen						
	Screen Resolution		1280 x 800						
	Bracket		Adjustable 28° ~ 50°						
	Human Motion Sensor		√ 						
MTouch II	3.5mm Audio Port USB-A Port		√ 1x USB-A Port, connect to USB audio device if necessary						
	Content Sharing Resolution / Frame Rate								
	Video Input interface for Content Sharing		HDMI & USB-C						
	Built-in Wi-Fi AP for Content Sharing		1						
	Wireless Content Sharing UVC Protocol		Work with Yealink WPP20 wireless presentation pod						
	Zoom		UVC 1.0 12X optical	UVC 1.0 12X optical	UVC 1.0 12X optical	UVC 1.0 8X digital	UVC 1.0 3X digital		
	Resolution / Frame Rate		4K / 30FPS	4K / 30FPS	4K / 30FPS	4K / 30FPS	4K / 30FPS		
	Field of View(diagonal)		80°	80°	80°	133°	120°		
Camera	Pan/Tilt range		200°/130°	200°/130°	200°/130°	E-PTZ	E-PTZ		
Features	Auto Framing		J	J	V	1	√		
	Speaker Tracking		X Xaalink Missanhana nash	x 1x Yealink Microphone port +	1. Vanlink Minranhana naut	1. Vaclink Missanhana nauk	×		
	Audio Ports		1x Line-out ports	1x Line-out ports	1x Line-out ports	1x Line-in port	NA		
	Power Adapter Camera Layout		AC 100~240V Input and DC 48V/0.7A Output Support camera layout including full screen, surrond, division	AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	NA		
Camera-hub	Maximum number of cameras		Up to 9 UVC84 camera 1x Yealink Microphone port +	NA	NA	NA	NA		
	Audio Ports		1x RCA-in & 1x RCA-out ports		40011 00111	40011 00:11	44511 40101		
	Speaker	Frequent Response RMS	100 Hz - 20K Hz 10W	100 Hz - 20K Hz 10W	100 Hz - 20K Hz 10W	100 Hz - 20K Hz 3W	115 Hz -16 KHz 4W		
		THD	1.00%	1.00%	1.00%	1.00%	1.00%		
		Maximum Speakers	Up to 4 (optional)	Up to 4	NA	NA	NA		
Audio Features	Microphone		Mutiple VCM34 array mics (optional)	2~3 VCM34 array mics	1x MSpeech Speakerphone	Built-in microphone	1x MSpeech Speakerphone		
reatures			Built-in 3-mic array	Built-in 3-mic array	Built-in 3-mic array	8 MEMS mic array	Built-in 3-mic array		
			20ft(6-meter) voice	20ft(6-meter) voice pickup range	20ft (6-meter) voice	Beamforming microphone	20ft (6-meter) voice		
			pickup range Cascade connection up to 6 units	Cascade connection up to 6 units	pickup range NA	technology NA	píckup range NA		
	Operating System		Windows 10 IoT Enterprise OS & License						
Preload	Microsoft Teams Rooms App		√ ·						
	Yealink RoomConnect Device Management Agent		\checkmark						
Device Management	Windows Update		1						
	Yealink Device Management Platform/Cloud Service		√						
	Microsoft SCCM								
	Microsoft Intune		√ √						



THE FIRST Teams Certified Phone

The first Microsoft Teams certified desk phone in the industry, delivering Microsoft Teams experience to all desktop devices seamlessly.

THE FIRST Teams Certified Phone Series

The first stable and featured Teams certified desk phone series covering entry- to executive-level, supporting firmware upgradability of applications between Teams and SfB.

THE FIRST One-stop Solution Provider

The first provider of one-stop Microsoft Teams certified audio devices, covering scenarios of offices, open work space, huddle rooms and large conference rooms.

A Whole Series of Voice Device Solutions Covering Multiple Scenarios

Personal devices























Desk phone

Speakerphone

Conference phone



- · Optimal HD audio, Yealink Noise Proof Technology
- · Full-duplex hands-free speakerphone with AEC



- · Embedded native Teams-tailored user interface
- · Consistent Teams calling and meeting experience



Simplified Deployment and Management

Deployment flexibility with multiple choices of deployment tools from Microsoft, Yealink and Unify square as well as auto-provision

Desk Phone



Yealink MP50

Microsoft Teams certified plug-and-play USB phone for daily desktop and hot-desking



4-inch Multitouch Screen



HD

Audio





USB Hub Teams



Bluetooth











Cost-effective Microsoft Teams phone for common areas and workers of co-working spaces

Audio



9.0 OS



touch Screen







Button



Wi-Fi & Bluetooth via optional dongle





Mid-level Microsoft Teams phone for office workers







touch Screen



Audio

HD

Audio





Button



Built-in Wi-Fi & Bluetooth





Yealink MP58/MP58-WH

Premium Microsoft Teams phone for executives and professionals



Android 9008



touch Screen

7-inch Multi-



Button







Built-in Wi-Fi & Support Bluetooth Handset (MP58-WH)



Conference Phone



Yealink CP960

Enterprise-grade conference phone for Microsoft Teams



Android



touch Screen

Audio







3-Microphone




Model Features	MP58/MP58-WH	MP56	MP54	MP50	CP960					
General features										
Operating System	Android 9.0	Android 9.0	Android 9.0	Linux	Android 5.1.1					
Display	7"1024 x 600-pixel capacitive touch screen	7"800 x 480-pixel capacitive touch screen	4"480 x 800-pixel capacitive touch screen	7"1024 x 600-pixel capacitive touch screen	5" 720x1280 capacitive touch screen					
Adjustable Screen	√	√	√	√	X					
Backlight	√	√	√	√	\checkmark					
Feature keys	7(hold, transfer, redial, headset, mute, Teams, speaker phone)	4(hold, transfer, redial, headset, mute, Teams, speaker phone)	4(Teams, headset, mute, speaker phone)	4(Teams, headset, mute, speaker phone)	2 (home, mute)					
Volume control keys	√	√	√	\checkmark	√					
Message Waiting Indicator (MWI)	\checkmark	√	√	√	X					
Multiple languages	√	√	√	√	√					
Dedicated Teams Button	√	√	√	√	X					
Wall mount	√	√	√	√	X					
Audio features										
HD voice	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	Optimal HD audio Full duplex technology					
AEC (Acoustic echo cancellation)	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC					
VAD (Voice activity detection)	√	√	√	√	\checkmark					
CNG (Comfort noise generator)	√	√	√	\checkmark	\checkmark					
AJB (Adaptive jitter buffer)	√	√	√	\checkmark	\checkmark					
PLC (Packet loss concealment)	\checkmark	√	√	\checkmark	\checkmark					
AGC (Automatic gain control)/ NS (Noise Suppression)	\checkmark	√	√	\checkmark	\checkmark					
Advanced features										
Built-in Bluetooth	4.2+ EDR	4.2+ EDR	x (Supported via Dongle BT41)	4.2+ EDR	4.0+ EDR					
Built-in Wi-Fi	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	x (Supported via Dongle WF50)	х	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)					
Teams/SIP Hybrid Mode	√	\checkmark	√	X	√					
Expansion Module support	EXP50	EXP50	X	X	X					
Bluetooth Handset support	√(MP58-WH)	X	X	X	X					
Connectivity										
Ethernet Port	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	NA	1 x RJ45 10/100M Ethernet ports					
Power over Ethernet (PoE)	(IEEE 802.3af), class 3	(IEEE 802.3af) , class 3	(IEEE 802.3af), class 3	NA	(IEEE 802.3af), class 3					
RJ9 handset port	√	\checkmark	√	\checkmark	X					
RJ9 headset port	√	√	√	\checkmark	Х					
3.5 mm Jack	X	X	X	2.5 mm Jack for Busylight	1					
USB A Port	2	1	1	3	2					
Management										
Auto Provision by TFTP/FTP/HTTP/HTTPS/DHCP	√	√	V	NA	\checkmark					
Yealink Redirection and Provisioning Service (RPS)	√	√	√	NA	√					

Migration of Yealink Voice Devices from Skype for Business to Teams

 $\sqrt{}$ Yealink Teams devices support the upgradability of firmware from Skype for Business to Teams.

 $\sqrt{\mbox{ Hybrid-mode feature on Teams devices provides an integrated experience of Teams and SIP App.}$






A Whole Series of USB Peripherals Solutions Covering Multiple Scenarios

The Yealink one-stop portfolio makes it easier for customers to select the solutions they need and to collaborate with devices from a single vendor.

Voice Video



UC Workstation

Headset

Speakerphone

Camera

Video Bar

USB Peripherals

Speakerphone



CP700

Medium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 4 people

















CP900

Premium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 6 people







design



cost



huddle rooms



Headset



UH34 & UH34 Lite Dual/Mono

connection

Essential USB Wired Headset









performance wearing comfort







UH36 Dual/Mono

Premium USB Wired Headset







performance







WH62 & WH63

Essential DECT Wireless Headset



shield



Optima audio

experience



options







Certified for Certified for Skype for Business

WH66 & WH67 UCWORKSTOTION

Premium DECT Wireless Headset



in one



in one



in one



Customizable busylight



Camera





UVC20 Personal Desktop Webcam

Immediate brilliant video experience for personal desktop



-pixel








Built-in



Easy Use & Lens Cap Management





UVC30 Desktop

4K USB Camera with Auto-Framing and Windows Hello Support

Mic





Framing



of View











UVC40 All-in-One USB Video Bar

For Simple and Smart Video Conferencing in Small and Huddle Rooms





Framing



Tracking







Camera Lens Cap Management









For any queries, please contact us via UCinfo@yealink.com



YEALINK NETWORK TECHNOLOGY CO., LTD. Email: ucinfo@yealink.com | Web: www.yealink.com