

ZelinAI User Manual

Version number: 5.8

Modification date: 12.16

Welcome to use ZelinAI!

1. Overview

With the popularity of ChatGPT, we have officially entered the era of artificial intelligence. Every day, numerous AI tools and applications emerge, and creating your own AI application seems to be a field limited to professional technicians.

Traditionally, creating an application requires writing complex code, understanding algorithms and data processing techniques. For novice users who lack technical background, this process is often full of difficulties and setbacks, and sometimes even impossible.

1.1 What is ZelinAI?

Now we have developed a tool called ZelinAI, which opens the door to AI application creation for everyone, no longer requiring a deep technical background or programming knowledge.

ZelinAI can use existing data to train customized agents and package these agents into AI applications. For customers, we can easily create our own AI applications without any programming foundation. This provides an unimaginable opportunity for novice users to participate in the creation and application of AI, unleashing their creativity and imagination.

For novice users who are curious about AI but lack coding skills, this is exciting news.

1.2 Why choose ZelinAI?

ZelinAI provides a simple and efficient way to create customized AI applications. Whether you are an individual user or an enterprise user, ZelinAI can meet your needs.

The following are the advantages of ZelinAI:

- **Have multiple manufacturers large models:** GPT 3.5, GPT 4, ERNIE Bot, iFlytek Spark, Midjourney, Stable Diffusion, DALL · E3, etc.
- **Private Domain Model Training:** supports multiple format documents, multi-model concatenation ability, as well as convergence and divergence ability;

- **Application interaction mode:** including technology mode (H5/API/Bot), scene mode (AI all-round assistant/intelligent customer service/copywriting paid copy writer/sales practice, etc.), role mode (personnel/marketing/IT/investment/operation/sales, etc.);
- **Content management and secure access:** including large model content moderation mechanism, Internet standard review mechanism and enterprise custom security policy;
- **Enterprise-level architecture support:** including SaaS services, front-end Blend Mode, and enterprise-level customization and services.

1.1 Register and log in

- Visit ZelinAI's [official website](#) .



- Click " **Free Use** " or " **Console** " button, use the phone number to get the verification code, set the password, fill in the invitation code (optional) to register successfully.



- After successful registration, log in to ZelinAI with your account.

2. Feature introduction


2.1 Dialogue



In the " **dialogue** " function, it provides four dialogue applications: intelligent customer service, AI all-round assistant, GPT-4T, and MJ drawing, which can communicate directly with the native large language model; accessible by computer or mobile phone.


2.2 Agent

ZelinAI provides models such as GPT-3.5, GPT-4, ERNIE Bot, iFlytek Spark, Midjourney, Stable Diffusion, DALL · E3, etc. Users can customize the behavior and output results of the agent through Prompt (prompt word) and adjustment of various parameters. Users can define the input questions or instructions according to their needs, as well as the expected replies or outputs.



2.2.1 Parameter description

- **Intelligent agent avatar** : Upload your own logo
- **Agent name** : For example [RED Creation - God-level Tuning]
- **Model models** : Microsoft -3.5, Microsoft -4, ERNIE Bot, iFLYTEK Spark, MJ Drawing, SD Drawing, DALL · E3, etc
- **Maximum number of responses** : The maximum length of the generated text, for example [1024]
- **Role positioning** : Define the role (prompt word) of the agent, which is the Prompt we want to write, for example:

 You are a RED writing expert. I will provide some creative themes and you can output a rich article of no less than 500 words, including title and content.

Special attention: Add some appropriate emoji expressions in each paragraph and use a relaxed and humorous tone to make the article vivid and lively to read. If you understand, please follow this requirement for creation.

- **Output format** : For example, if we want some content to be output in the format we want (the content in the following example is relatively satisfactory), we can directly input this satisfactory result as the output format here to let the model learn.

💰 Here is an example article:

""""

Title:

Super amazing! Memorize a book in one day! This memory method is amazing!

Content:

😞 recently, received a lot of potato powder news, said the book is too painful, especially anxious, back the next day all forgotten, 😞 feel too useless, good frustration!

👊 stop stop stop!

❌ I'm going to stop your negative thoughts, memorization is not painful, you just haven't mastered the scientific method

✅ as a worker who has studied the brain for many years, solving the memory problems of over ten thousand students and adults, ✨ we have always advocated that memory can be improved through scientific methods

! today, I will share with you a super efficient memory method that can be used to memorize a book a day!

The content is a bit long, the real stuff is a bit much, it is recommended to like ❤️ collection directly, 👉 like over a thousand, update the series of works within three days

1️⃣ draw a mind map first

😞 because the knowledge in the book does not exist independently, you cannot memorize it for the sake of memorization, so it is rote memorization

👉 the first time you get the book, draw a mind map, classify and summarize the content, and it is important to sort out the outline

💪 behind each knowledge point, there is a huge network of knowledge system. There are things you are familiar with, and there are things you are not familiar with. The key is to connect scattered knowledge

2️⃣ situation story

⚠️ neuroscience research shows that image memory is 1 million times stronger than brain memory, and the brain is better at image memory

✨ so the key words in the outline are "turned into pictures" and connected into the story of the scene.

3 Feynman Learning Method

👉 the above two steps are the input and processing of information content, and the Feynman learning method is the review and extraction of information content

The easiest way to 🧠 is to take out a blank sheet of paper and redraw the mind map you just drew

This process is the process of "extracting" memory, so as to avoid that you can't remember it when you really go to the examination room. 🤔 there are some places in the mind map that cannot be written, check and fill in the gaps

4 Ebbinghaus forgetting curve

👉 no matter what technique you use, there will be a process of forgetting, and we have to review through the law of forgetting

Ebbinghaus pointed out that after memorizing knowledge, you should review it twenty minutes later, and you can review it separately on the second day, the first week, and the first month

The purpose of doing this is to turn short-term memory into long-term memory

☺, share it here.

✅ I am a brain worker who has helped tens of thousands of students and adults solve memory problems, if you have any ❤️ questions, you can also ask me~

""""

Example article ends.

If you understand, then create according to this requirement.

Case display:



- **Input content:** Limit the format and specification of the content entered by the user in the text box for better output effect.
- **Variable:** Information that allows users to fill in role positioning/input content/style definition, used to limit user input content.



- Variables are divided into **role variables** (added in the role definition/style definition section) and **content variables** (added at the input content). You can set fill-in/select classes and whether they are required. Select variables can be set to "Add Details". After setting the content of "Add Details", this part of the content will replace the marquee content.

角色变量-选择型

角色变量-填空型

内容变量-选择型

内容变量-填空型

- Role variables need to be filled in before using the agent. After confirming the role variables, they can be used and modified again. User variables are presented in the user's input area.

For example:



Conduct job recruitment, set variables in the role definition for users to select the positions to be recruited. Add role variables, set the variable name [Position] and prompt text, select the type as required fill-in-the-blank, and the variable will be confirmed to be filled in by the user before use. After confirming the variable, it can be used or modified again. Set variables in the input content to control the user's input, choose to generate job descriptions or corresponding interview questions. Add user variables, set the variable name [Recruitment Content], select the type as required selection and set options to standardize the user's input format to achieve better output effect.

Case display:

The image displays four screenshots from a user interface for configuring an AI agent:

- Top-left:** "编辑变量" (Edit Variable) form for "岗位" (Position). Fields include "变量名称" (Variable Name), "提示文案" (Prompt Text), "设置必填" (Required), and "变量属性" (Variable Attribute).
- Top-right:** "角色定位设置" (Role Positioning Settings) dialog box. The "岗位" (Position) field is set to "产品经理" (Product Manager).
- Bottom-left:** "编辑内容变量" (Edit Content Variable) form for "招聘内容" (Recruitment Content). Fields include "变量名称" (Variable Name), "设置必填" (Required), "变量属性" (Variable Attribute), and "关联变量" (Associated Variable).
- Bottom-right:** Main configuration page showing "招聘内容" (Recruitment Content) selected. The content area displays a detailed job description for a "产品经理" (Product Manager) role, including responsibilities and requirements.

- **Training dataset:** Upload corpus for agent training and learning, so that it can answer based on the content of the training dataset. Multiple training datasets can be added and the location to add the training dataset to the role positioning can be selected, which is added at the end by default.
 - **Training dataset out-of-range reply:** When the agent has a training dataset, it can set a fixed reply content when the question exceeds the scope of the training dataset content after it is turned on. It is often used to solve a vertical problem of the agent.
- **Welcome Message:** You can customize the content of the first sentence that the agent says to the user for the first time or every time they enter. For example: Hello, I am ZelinAI customer service, how can I help you?
- **Maintain Context:** If it is conversational content and AI needs to better understand the context, it can be set to True. If it is Q & A content, it can be set to False.

The rest can be set as default. Interested partners can adjust the parameters to test their own models.

2.2.2 Variable field usage scenarios

When the agent or application has some prompt content that needs to be modified, or needs to allow the user to modify some content in the current agent prompt in the application, variable fields can be used.

For example, the "position" in the role positioning is a variable field, among which there are 10 positions. We select this variable as "HR", then the complete sentence structure of the role positioning is: You are now an experienced HR, please complete the recruitment content I require according to the HR position.

The 'recruitment content' of the input content is the variable content. If we select this variable as 'interview question', the complete sentence structure of the input content is 'help me generate the corresponding job description'.

After this operation, the current intelligent system will generate HR interview questions for you based on your needs.

By analogy:

When the variable in the role positioning is changed to Product Manager and the variable in the input content is changed to job description, this model will act as an HR and help you generate a Product Manager job description according to your needs.

The screenshot displays a configuration interface for an AI agent. On the left, the '角色定位' (Role Positioning) section contains a prompt: '你现在是一名经验丰富的HR。请你根据 **岗位** 完成我要求的招聘内容。'. Below it, the '角色变量' (Role Variable) section has '岗位' selected. The '训练集' (Training Set) section includes a '添加训练集' button. The '输入内容' (Input Content) section has '帮我生成对应的 **招聘内容**'. The '内容变量' (Content Variable) section has '招聘内容' selected. The main area shows the '岗位描述' (Job Description) output, which includes a role overview, responsibilities, and requirements for a Product Manager position.

2.2.3 Variable association function

Used for the association between corresponding variables to take effect. After the user variable is associated with a certain role variable or option, the corresponding user variable will only take effect when the user completes the blanks of the associated variable or selects an option in the role definition/style definition. The initial default is all associations.


Case display:

Taking the customer service assistant as an example, set the "Service Type" variable in the role definition, with the options being "Frequently Asked Questions" and "Product Consultation".

In the input content, the "FAQ" variable association selects the "FAQ" option of the "service type" in the corresponding role variable. When the user selects the role positioning option and selects "FAQ", only the associated variable content is displayed in the input content.

The image shows two side-by-side screenshots of a configuration interface. The left screenshot is titled '编辑内容变量' (Edit Content Variable) and shows a form for configuring a variable named '常见问题' (Common Questions). It includes options for '设置必填' (Set Required) with '必填' (Required) selected, and '变量属性' (Variable Attribute) with '选择' (Select) selected. Below, there are three content items: 'zelinai的来源', 'zelinai的主要功能', and 'zelinai的优势', each with a '+ 添加详情' (Add Details) button. At the bottom are '删除' (Delete) and '保存' (Save) buttons. The right screenshot is titled '关联变量' (Associate Variable) and shows a selection interface for '服务类型' (Service Type). It has a '全选' (Select All) checkbox and two options: '常见问题' (Common Questions) which is checked, and '产品咨询' (Product Consultation) which is not. A '确定' (Confirm) button is at the bottom.

In the input content, the "Product Consultation" variable association selects the "Product Consultation" option of the "Service Type" in the corresponding role variable. When the user selects the role positioning option and selects "Product Consultation", only the associated variable content is displayed in the input content.




2.2.4 Plugin features

For language models, plugins can be selected for use, and the plugin function can give the agent new functions. There are currently three plugins to choose from: **networking, document reading, and test paper generation**. Networking and document reading functions cannot be used at the same time.



Now let's introduce the plug-in functions separately:

- **Networking:** When enabled, it enables large models to have the ability to obtain the latest information online. For example, when asking for "China's GDP data in 2022", after enabling the networking function, it will analyze and integrate answers based on the three most relevant search results in the network to reply. Click on the webpage name to jump to the page.



- **Document reading:** After enabling, users can upload documents, and the model can read and analyze the uploaded documents. Up to 10 documents can be uploaded at a time, and the maximum limit of a single document is 10M, and the validity time of the document is 12 hours.





- **Test paper generation:** The generated content can be output in the form of a test paper, and the output format does not need to be set separately. The test paper can be directly answered and shared.




- After selecting the "Test Paper Generation" plugin, the output content will be presented in the form of a test paper. Before generating an electronic test paper, you can edit the output content. After editing, click "Generate Electronic Test Paper" and determine the type of test paper (practice/exam) to complete the generation of the electronic test paper.





- After the test paper card is generated, click "Open" to start answering questions directly. The test paper can be shared in the form of links, QR codes, and posters. You can view the test paper answer ranking list and download ranking data. * Note: For more test paper settings and data viewing, please visit the examination website





2.2.5 Function, default value and range of parameters in GPT API interface

Below is a summary table for API interface parameters.

参数名称	中文名称	作用
Max_tokens	最大响应数	用于控制生成文本的最大长度（以令牌数为单位）。
Temperature	多样性	用于控制生成文本的多样性。
Top_p	多样性保真度	用于控制生成文本的多样性和保真度。
Presence_penalty	重复词汇	用于控制文本同一词汇重复情况。
Frequency_penalty	罕见词汇	用于控制文本罕见词汇出现情况。
N		用于控制生成文本的连贯性和自然程度。
Stream	流式输出模式	用于控制生成文本输出的方式。
Stop	停止词	用于控制生成文本停止的条件。
Logit_bias		接受一个 json 对象，该对象将标记（由标记器中的标记指定）映射到从 -100 到 100 的关联偏差值。
Role	角色	定义该模型的角色
Output_format	输出格式	定义输出内容的格式或要求
Keep_context	保持上下文	关联上下文，如果是对话式的内容，需要AI更理解语境，将其设置为True，如果是问答式内容，则可设置为False

For more details on the role, default value and range of each parameter in the GPT API interface, you can refer to the official documentation of ChatGPT. Or you can also click here to view [📖 GPT API 接口中各个参数的作用、默认值以及范围](#)




After setting the parameters, let's let ZelinAI do the work. For example, let it write a RED note with the theme of "Green floral flying sleeve dress, women's new summer French square collar design, niche waist-cinching and slimming long skirt".

Example 1: RED Creation - Divine Training



Set up a RED copywriting model.






Below are the output results, which can basically be used directly.


 Title: French green floral dress, add color to your summer!  

Content:

 Hey hey, potato powder, summer has quietly arrived, just add a beautiful little dress! Today I want to share a green floral flying sleeve dress! 

 this women's summer new French square collar design sense niche waist slimming dress, with green floral decoration of your summer dream. Actresses are wearing yo, this French green floral dress, is super delicate, atmospheric and low-key, all are advantages! 

1 First of all, the eye-catching French square collar design, the neckline of this dress is bold and generous,  whether it is the line of the neck or the contour of the shoulders, it looks relaxed and natural. At the same time, there is a casual elegance.

2 Secondly, the addition of Feifei sleeves makes the whole dress full of fairy spirit!  every time you wave your arms, it seems that you can walk into a classical France movie. Feifei sleeves can also cover the annoying fat on your arms, killing two birds with one stone.

3 Moreover, the niche design makes you instantly 😍! This dress is full of creativity and unique selection. Just mastered the most popular slimming waist technique at the moment, wearing it makes elephant legs disappear!

4 more importantly, this dress uses a green floral pattern, 🌿 full of youth and vitality, delicate and cute, there is a kind of energy that calls nature at any time! Wearing it, like falling into the midsummer afternoon sun, back to those carefree little fresh time.

Overall, this legal French green floral flying sleeve dress is really a must-have for summer! Say goodbye to the monotonous short sleeves and skirts, it has a high-end and low-key design sense and elegant style, making you stand out in the crowd. Wear it and spend a happy summer with your sisters. 🌻

Come and get it 🛒! The editor has already reserved one for you, 😍 ready to show it to you, how about it, isn't it very exciting!? Then what are you waiting for, quickly add a little bit of this aesthetic for yourself! 🔥💕


Front row reminder: limited stock, 🚫 grab it, don't miss it! I wish you all a confident and beautiful summer! 🌈

Example 2: Midjourney Drawing Tips

Define a model that outputs Midjourney descriptors. After inputting the painting **theme**, 4 Midjourney descriptors can be output each time.

The screenshot shows a chat interface for a Midjourney AI application. On the left is a control panel with settings for the model (Midjourney), version (3.5), and various parameters like 'Maximum response length' (1024) and 'Diversity' (1). The main chat area shows a conversation where the user asks for 'Manga style' prompts about a girl and her cat. The AI responds with four detailed prompts, each describing a different scene and style (e.g., cozy home, colorful garden, heartwarming living room, magical forest). The interface includes a 'Confirm' button at the bottom right.

Copy the output of the fourth descriptor to Midjourney to get the picture. You can also [create a new \[MJ painting model\]](#) to draw this descriptor.



The screenshot shows a Discord chat interface for the server 'Metafeng' in the channel '# 绘图'. The chat contains a text message with a prompt: 'A cute and mischievous moment where a little girl and her curious cat play hide and seek in a magical forest, surrounded by tall trees, colorful mushrooms, and sparkling fireflies, creating a whimsical atmosphere of wonder and enchantment, 3D art, using a digital sculpting software and rendering engine, --ar 9:16 --s 750 --niji 5 - @crawfordnatalie (fast)'. Below the text are four AI-generated images arranged in a 2x2 grid. Each image shows a young girl in a hat and a cat in a magical forest setting with mushrooms and fireflies. Below the images are buttons labeled U1, U2, U3, U4, V1, V2, V3, and V4. The chat input field at the bottom shows '+ 给 #绘图 发消息'.

Drawn AI images:




2.3 Training

Users can upload their own business data such as text, TXT, PDF, Word files, etc. to train the model, thereby achieving intelligent content output of the business. For example, based on the training content, it can output product video scripts, product profiles, training outlines, test questions, etc.

There are two types of training datasets that can be created: regular training dataset and intelligent training dataset. It supports adding multimedia files to training files.

The following describes how to create a training dataset and how to associate the training dataset with the agent .



2.3.1 Creating a training dataset

Click "Create intelligent training dataset " or "Create regular training dataset" to enter the training dataset setting interface, fill in the title, introduction, training mode and content of the training dataset.

Training dataset content can be directly input text or upload.txt.docx.pdf format documents, you can choose to add pictures or videos from local or multimedia libraries. The input text content can be edited twice.


Training mode: 1. Convergent training: training based on input content only

2. Divergent training: training based on input content and related association content




Ordinary training dataset is in the form of Q & A group, which can be imported and uploaded in batches. Common scenarios include customer service consultation assistants, etc.


After filling in the content, click "Finish" and wait for the training to be successful before using it.



Amount of characters



The training model itself is free, but as long as the training content is there after the training, it will occupy storage space, and ZelinAI will charge **storage fees**.

 A. 100 characters/day cost 0.01 yuan

One Chinese character is one character, one English letter or Arabic numerals is one character.

When adding new data and clicking Finish, the corresponding character count of the data has been charged.

It is recommended that developers streamline the number of characters in training materials and delete unnecessary characters to save space and balance.

If there are too many words, choosing the monthly subscription model is more cost-effective.

开通包月模式

当前账号: 176 **** 5309

选择套餐:

¥ 1万字/月	<input checked="" type="checkbox"/> ¥ 5万字/月	¥ 10万字/月
¥ 50万字/月	¥ 100万字/月	¥ 200万字/月

购买时长: 1 个月

应付金额: **¥50** (5w字符/月=50元)

付款平台: 微信支付




请扫描上方二维码充值


- 💰 10,000 words/month: 10 yuan
- 50,000 words/month: 50 yuan
- 100,000 words/month: 100 yuan
- 500,000 words/month: 500 yuan
- 1 million words/month: 1000 yuan
- 2 million words/month: 2000 yuan

2.3.2 Add multimedia

Images and videos can be added to the training set. When filling in the text content in the training dataset, click "Image" or "Video" in the upper right corner of the text filling area to upload and add images or videos locally, or select uploaded content from the "Multimedia" library. After adding multimedia content locally, the content will be automatically added to the multimedia library for easy secondary use.



You can also upload or batch upload the necessary pictures or videos in the multimedia library. You can modify the name and delete them.



Note: The content of the multimedia inserted in the training set itself will not be trained, and can only be output with the arrangement of prompt words and training data .

2.3.3 Training dataset associated with the agent


2.3.3.1 Add training dataset

After creating the training dataset, return to the agent section, click "Add training dataset" and select the training dataset to successfully associate. Multiple training datasets can be added, or the position where the training dataset is inserted in the role positioning can be selected.



2.3.3.2 Training dataset out of range reply

When enabled, you can set a fixed reply content when the question exceeds the scope of the training dataset.




2.3.3.3 Training dataset reference source

Display the specific paragraph content of the reply reference training dataset, which is convenient for debugging when making the agent. The source of the training dataset reference can be set whether to show it to the user when creating the application.



2.3.3.4 General training dataset recommendation problem

After associating with the common training dataset, when the user inputs the content, the questions with high matching degree in the common training dataset will be displayed, which simplifies the user's questioning and is also more convenient to standardize the user's questioning, so as to achieve better output effect.



2.4 Application

Everyone knows that good AI hints can reduce costs and increase efficiency. However, in ChatGPT, we have trained a very powerful model, but we cannot share it with more people. In fact, ZelinAI can solve this problem. Next, we will package the model we just created as an AI application and share it with more people to experience the charm of ChatGPT.

2.4.1 Application Type Description

Currently supports creating applications in three ways: **H5 application, API application, BOT application**.

Create H5 applications : create H5 applications based on the selection model, H5 applications can be opened and used directly on computers and mobile phones;

Create API application : Create an API application based on the selected model. After creation, the API of the application will be given, which is convenient for calling the API for secondary development.

Create BOT bot applications : Create BOT applications based on selected models, which can create intelligent machines for WeChat, WeCom, DingTalk, and Feishu.



暂无应用

创建H5应用

创建API应用

创建BOT应用

2.4.2 Create an H5 app

Create H5 applications based on the selection model. H5 applications can be opened and used directly on computers and mobile phones.




- **App name** : [Midjourney Drawing Tips]
- **Application English name** : [Morning Image Prompts]
- **Application icon** :



- **Application Introduction & Application English Introduction** :

🌟 Midjourney prompt word generator, output [keywords] to generate 4 Midjourney prompts.
For example:
prompt 1:
/imagine prompt: Clear morning light shines through a forest canopy, --ar 3:2 --v 5

- **Style** : Dialogue style, Q & A style
- **Select model** : here select the model just created 2 [Midjourney]



- **Introduction** : Introduce your application and how to use it



Please output the keywords we need for AI drawing to generate 4 Midjourney prompts.

Enter: [The first ray of sunshine in the morning]

Output: Prompt 1, 2, 3, 4:

/imagine prompt: Clear morning light shines through a forest canopy, lighting up a small clearing where a deer grazes on leaves, using a 70-200mm lens, f/4 aperture, --ar 3:2 --v 5

- **Add recommended questions:** Recommended questions can be added in the guide language. When users use the application, they can directly click on recommended questions to send and guide users to use.

引导语:

你可以尝试提问:

- 1、 [如何为小朋友策划一场有意义的儿童节](#)
- 2、 [大学生如何写求职简历](#)

[+ 添加推荐问题](#)


[如何为小朋友策划一场有意义的儿童节](#)

[大学生如何写求职简历](#)

- **Menu bar:** Add fixed reply content to the menu bar, supporting image, text, mixed image and link forms. The preset reply content will not consume tokens.

菜单栏:

标题	内容	操作
官网	https://www.zelina.com/	编辑 删除
人工客服	请扫描添加人工客服  	编辑 删除
 添加		



- **Input & Output Settings** : Support text and voice input and output. When outputting voice, you can choose to play automatically, choose timbre, etc.

输入设置: 文字输入
 语音输入

输出设置: 输出文字
 输出语音

设置自动播放: 设置自动播放 输出语音自动播放

请选择播音员: 成年女声


- 成年女声
- 成年男声
- 童年女声
- 童年男声
- 香港女声
- 湖北男声
- 合肥男声
- 成都女声
- 东北女声

是否付费: 免费
 付费 (1Z币=1元, 2Z币=2元)

应用属性: 公开
 私有

加入应用市场: 不加入
 加入

背景图: 
尺寸: 750*1600px)



- **Whether to pay** : You can share the application for free or set a limit on the number of free uses, or charge by time and frequency.
- **App properties** : Private for personal use, or public. Setting it to private will not be displayed on the personal app homepage.
- **Whether to join the app store** : You can add the made AI application to the app store. After the review is passed, the application can be used by more users. Recommended to join.
 - **Select category** :

是否加入应用市场: 不加入
 加入

请选择分类: 工具

背景图:
(移动端建议尺寸: 750*1600px)

办公
生活
教育
工具
儿童
沟通
奇思妙想
企业



完成并分享 取消创建

- **Set background cover:** You can set the background cover for mobile applications.

After setting up, click " **Finish and Share** ", and the application will be created. **Through the above operations, we have truly achieved zero-code construction of our own AI application.**

2.4.3 Data overview

In the data bar, we can clearly see the **total number of users, total engagement, total PV, total likes, total cost consumption, and total revenue** of our application. These data can help us better understand user behavior and preferences, so as to develop more targeted strategies, improve user stickiness and Retention Rate of the application, and view the revenue and consumption of the application, which is easy to control and adjust the price. In addition, we can analyze users' active time, regional distribution, device usage, etc. based on these data in the later stage, in order to better optimize product functions and User Experience. Therefore, timely updating and in-depth analysis of these data is crucial for our application.



2.4.4 Delete apps




Click the three dots in the upper right corner of the app and click " **Delete** ".



2.4.5 Create an API app

Create an API application based on the selected model. After creation, the API of the application will be provided for easy calling for secondary development.

Create an API application, fill in the basic application information, and you will get an **APP ID** .



Copy the APP ID , and then operate according to the [【对外接口文档】 聊天接口API](#) .

2.4.6 Create BOT bot application

Create BOT applications based on selected models, and create intelligent machines for WeChat, WeCom, DingTalk, and Feishu.



Fill in the basic information of the application and select the platform to use.

2.4.6.1 Content settings

BOT is divided into three models: basic, advanced, and versatile

Model number	Basic type	Advanced type	All-rounder
Price (yuan)	999	1999	19999
Support WeChat groups	3.	10 of them.	Unlimited



Note: The deployment fee is charged only once, and the interactive fee in use is charged according to the interactive fee of the model API interface call you choose.

For example, if you choose the GPT3.5 model, the cost per interaction is 0.06 yuan, and if you choose the GPT4 model, the cost per interaction is 0.5 yuan.

2.4.6.2 BOT deployment method


1. Scan the ZelinAI customer service QR code below to add customer service.



2. Click the " **Finish** " button below to send the generated BOT APP ID to ZelinAI customer service.
3. Pay the model fee to ZelinAI customer service and follow the customer service's instructions to complete the deployment of the BOT.
4. Add BOT to the group, just @BOT and tell them what you need to know.

2.4.6.3 ZelinAI BOT Customer Service

BOT robot customer service deployed in the ZelinAI user group.




2.4.7 Share AI applications


Users can package their trained models into AI applications. This means that users can integrate the models into an application, giving it intelligent capabilities and functions.

In addition, we can use social media, advertising and other ways to further expand the influence and popularity of the application, so that more people can understand, use and benefit from the application we create. Moreover, we can continuously improve and optimize the functions and performance of the application to provide users with better experience and

service, so that our application stands out in the market and becomes one of the first choices of users.



Supports 3 sharing methods:



Link sharing: <https://zelinai.com/s/kavvHSjs2nZSiufjajw2vT>

Poster sharing:




QR code sharing:



After creating the application, **share the QR code or link to WeChat or official account** . As long as the application has value and demand, users can earn income by paying for it.

2.4.7.1 Mobile terminal experience (WeChat login)



2.4.7.2 PC experience (WeChat scan code)

The screenshot shows the ZelinAI interface with a header bar containing the logo and navigation icons. A text input field at the top contains the prompt: "清晨的第一缕阳光". Below this, a list of four generated prompts is displayed, each with a corresponding Midjourney command. The prompts describe various scenes: a forest clearing with a deer, a seaside cliff with waves, a desert landscape at dawn, and a misty forest. At the bottom, there is a text input field for user communication and a "发送" (Send) button.

ZelinAI | Midjourney 绘图提示 剩余0次使用权

请输入你要 AI 绘图的【关键词】，即可生成4个 Midjourney 提示。输入：【清晨的第一缕阳光】输出：Prompt 1, 2, 3, 4:/imagine prompt: Clear morning light shines through a forest canopy, lighting up a small clearing where a deer grazes on leaves, using a 70-200mm lens, f/4 aperture, --ar 3:2 --v 5

清晨的第一缕阳光

Prompt 1:
/imagine prompt: Clear morning light shines through a forest canopy, lighting up a small clearing where a deer grazes on leaves, surrounded by tall trees with colorful flowers blooming on their branches, a peaceful and serene environment, Photography, using a 70-200mm lens, f/4 aperture, --ar 3:2 --v 5

Prompt 2:
/imagine prompt: Clear morning light shines on a seaside cliff, illuminating waves crashing against it, the sound of seagulls and water echoing off the rocks, emphasizing the power of the ocean, the sky painted with pink and blue hues of a sunrise, creating a sense of awe and wonder, Painting, using watercolor on paper, --ar 16:9 --v 5

Prompt 3:
/imagine prompt: The first light of dawn glows over a desert landscape, casting long shadows over sand dunes and cacti, the sky painted with orange and pink hues, and the sun barely peeks over the horizon, creating an anticipation for the day ahead, Photography, using a wide-angle lens, f/8 aperture, --ar 16:9 --v 5

Prompt 4:
/imagine prompt: A forest covered in a blanket of morning mist, trees wrapped in layers of fog, creating an eerie and hauntingly beautiful atmosphere, a sense of mystery and magic surrounds the area, alluring and inviting the viewer to explore, Artwork, using acrylic paint on canvas, --ar 4:3 --v 5

复制 重新生成

请输入想要沟通的内容，Enter发送，Enter+Shift 换行。

发送

2.4.8 Midjourney painting model example (By: Zhao Yurun, click to enter her [ZelinAI developer homepage](#))

ZelinAI has finally integrated Midjourney, and now you can create your own models in ZelinAI.

Those who understand this will understand, because the threshold for using Midjourney normally is very high, and many people are blocked at the door, so the demand for this part is still very large. Below, I will create myself from 0 to 1 in ZelinAI "**Underwater characters, animal avatars**" The steps of the model and application are shared with everyone, hoping to inspire you and then make your own application.

Preface: Developers need to be able to use ZelinAI to create applications and have a basic understanding of Midjourney.

2.4.8.1 Start Mj application model

Step 1: Create a new model



Step 2: Upload the model avatar (you can also choose not to upload, it is recommended to keep the uploaded avatar consistent with the application avatar later, so that it is convenient to select the model) and determine the model name.



Step 3: Model model "MJ Drawing (0.49 yuan/interaction) ", we need to select this model and start creating our own MJ model and application under this model (this step is crucial, don't choose the wrong one).



Step 4: Create the "role and positioning" of the application. You need to fill in your own core prompt here. **The prompt here is the top priority of your model. Be sure to confirm it well, otherwise users cannot generate the expected image.**

Regarding how to write prompts, I can summarize the source and thinking of "underwater characters and animal avatars", see: [拆解当下小红书最🔥的水下人物头像prompt](#), determining and forming your own prompt.

After determining your own key prompt, you need to leave a part of the prompt for the user to supplement and fill in, that is, the content entered by the user + your prompt in this model + subsequent parameters = the completed prompt, At this point, the spliced together "Complete prompt" will be sent to Mj in the background to generate an image and return it to the user.

① < padding URL > + ② user input + ③ model style definition + ④ left parameter settings = complete MJ descriptor

For example:

① <https://7n.kaokao.mobi/FqC7-Cd5xOx2fE9EL-8KI1Mu2sia> + ② a girl, + ③ Super handsome, pixar style, 3D character, soft colors, best quality 8k, minimal, + ④ --ar 1:1 --q 2 --iw 2 --s 100 --v 5.1

③ 模型风格定义

风格定义 ①
Super handsome, pixar style, 3D character, soft colors, best quality 8k, minimal,

④ 参数设置

① 垫图URL
<https://7n.kaokao.mobi/FqC7-Cd5xOx2fE9EL-8KI1Mu2sia>


② 用户输入: a girl

Points to note here are:


1. It is necessary to consider which part of the prompt to leave to the user to fill in. In the spirit of "leaving the complexity to ourselves and the simplicity to the user", we usually leave the easy-to-express parts to the user. For example: "Underwater characters, animal avatars" The complete prompt is: *a cute boy swimming underwater, bright eyes, protrait, happy, fantasy, Bright colors* --q 2 --s 250 --nji 5

The orange part is the main body, the yellow department is the type, parameter, style, the blue part is the parameter, we leave the orange part of the main body to the user, let the user decide what kind of main body avatar to produce (for example: a girl, a cute boy, a cat, a panda, etc.),

finally fill in the style definition here: *swimming underwater, bright eyes, protrait, happy, fantasy, Bright colors, see below:*



参数

模型头像 

模型名称 * 水下人物、动物头像

模型型号 MJ画图(0.49元/互动) ▾

风格定义 ⓘ

swimming underwater, bright eyes, protrait, happy, fantasy, Bright colors

Save as a reference image: Save the seed value of the current image to the model

Download all: Download all 4 pictures locally


Download selected: Download the selected image to the local

Optimized selection: Generates 4 new images that are similar to the overall style and composition of the selected image.

Rebuild: It reruns the current descriptor to generate four new images.

2. Do not bring parameters to the prompt input by yourself, otherwise the background may report an error, because the standard prompt format of Mj is: **text + parameters**, if the text contains parameters, Mj cannot recognize it.

3. As mentioned earlier, **the prompt here is the most important part of your model. In fact, you have already conceived your model and what kind of image effect the application created based on this model can achieve. The remaining steps are just to select the required parameters and adjust them to the appropriate values.**



Midjourney official website screenshot

Step 5: Determine and continue to determine the various parameters of the model. Because in step 4, you already have the complete prompt in mind, choose the corresponding parameters to set.

Note: **The "MJ drawing (0.49 yuan/interaction) " model parameter in ZelinAI is equivalent to the meaning of the Midjourney parameter** , as a developer, you must understand the meaning of the parameter. For details, please refer to: [🇺🇸使用Midjourney绘画 | 常用聊天界面以及参数介绍](#)

Convert to here: The meanings of parameters in ZelinAI are as follows:

Style Definition : Set the style and characteristics of the model, such as realism, comics, cartoons, etc

Size --ar [WIDTH: HEIGHT] : aspect ratio, there are 6 sizes to choose from for generating images, namely: 1:1 (suitable for avatars), 4:3 (with pictures); 9:16 (mobile wallpaper); 16:9 (with pictures, wallpaper); 235:100 (WeChat official account cover size); custom; default 1:1

Chaos --c [0-100] : The parameter affects the degree of variation of the initial image grid. (The --chaos or --c parameter will affect the variation of the initial image grid. High --chaos values will produce more unusual and unexpected results and components; lower --chaos values have more reliable and repeatable results.)

Quality --q [.25 | .5 | 1] : Means higher quality settings take longer to process and produce more detail. Default is 1

Benchmark image --seed : It is a picture that developers choose to upload in order to generate a specific style or character. For example, if you want to create an application that specializes in generating Luffy pictures, Mj knows Luffy (Luffy), but the effect of the picture is not good, unlike. Developers can upload a Luffy picture themselves, and let Mj regenerate Luffy on the basis of this Luffy picture, so the effect of the picture will be much better.

Pad map : Upload your own picture as a reference for drawing. If the developer selects a pad map here, the user side can no longer make a pad map.

Pad image weight--iw [.75 | 1 | 1.25 | 1.5 | 1.75 | 2] : Adjust the importance of the pad image in the entire composition. A higher value means that the pad image has a greater impact on the final composition. It is recommended to choose the highest "2" for the pad image weight. If users choose to upload images, they will definitely want to produce similar or even identical images, so the weight is given to the highest. Even so, Mj may not be able to generate images that are the same as the characters in the uploaded images. This is determined by the randomness of Mj, so don't expect too much.

Seamless Pattern --tile : Used for repeating collage images to create seamless patterns for fabrics, wallpapers, textures, etc., turned off by default. **If you are making an application specifically for seamless textures, you need to turn it on here.**

Model Version --v [1 | 2 | 3 | 4 | 5 | 5.1 | niji | niji5] : v5.1 state-of-the-art model with a stronger aesthetic and easier to use; niji5 is used for making anime and illustration styles, it performs well in dynamic and action shots and character-centered composition, default is 5.1

Artistic Intensity --s [0-1000] : Low-value generated images match the prompt very well, but the artistry is poor, high-value generated images are less associated with the prompt, but the artistry is strong, default is 100

In ZelinAI, there are some differences between the MJ drawing model and the native version of Midjourney. ZelinAI MJ drawing fixes the style of the drawing, but the main elements can be changed. It can be used as a filter function, for example, if I have a photo and want to change it to a different style.



9. Model version: Supports all current versions of Mj, from v 1-v 5.1, niji 5, niji



2.4.8.2 Test the drawing effect of the model.

After completing the basic parameter settings, as a developer, you can start testing your application on the right side.



Of course, you also need to test from the user's perspective.

Introduction to the function of the drawing panel:



2.4.8.3 Go to the application interface and start creating your application



- 对话
- 模型
- 训练
- 应用
- 分销
- 收益
- 消费
- 应用市场

基本信息设置

填写基本的应用信息

* 应用名称:

应用英文名称:

* 应用图标:
(建议尺寸: 200*200px)

描述这款应用的功能

* 应用介绍:

应用英文介绍:

风格: 对话风格 问答风格 (不支持生成图片服务)

默认即可

内容设置

* 选择模型:

选择创建的Mj模型

引导语:

引导语是对用户如何使用这款应用的提示

英文引导语:

Regarding the suggestion of segmenting the introductory language, provide logical prompts to the user, for example:

内容设置

* 选择模型:

尽量分段、有逻辑

引导语:

英文引导语:

1. Quickly generate underwater character, animal and other style avatars
2. Female head input prompt: a girl
3. Male head input prompt: a boy
4. Animal input prompts: a cat, a panda
5. Adjectives can be added: a lovely girl, etc., which can be explored infinitely

6. Good things are worth waiting for (generating images takes about 1-2 minutes).

When packaged as an AI application, if you choose the **MJ painting model**, more settings will have an additional **dissemination copy** function, that is, we can share pictures with QR code and promotional copy.

更多设置


输入设置: 文字输入 图片输入

输出设置: 输出图片

传播文案: 关闭

开启

请输入默认文案



更多设置

输入设置: 文字输入 语音输入

输出设置: 输出文字 输出语音

是否付费: 免费

付费 (1Z币=1元, ZelinAI将收取10%手续费)

定价考虑成本0.49元/次

请选择付费方式 按时间 按次数

付费方案 免费 天, 0 Z币 天。

应用属性: 公开

私有

是否加入应用市场: 不加入

加入

选择加入应用市场, 增加曝光

是否加入应用市场: 不加入

加入

请选择分类

办公

办公

生活

教育

工具

儿童

沟通

奇思妙想

企业

滤镜

背景图:
(移动端建议尺寸: 750*1600px)



点击上传
移动端背景图

最后点击

完成并分享

选择“滤镜”

- 对话
- 模型
- 训练
- 应用
- 分销
- 收益
- 消费
- 应用市场

网页分享

链接分享

<https://zelinai.com/s/MVq7KJD2RhtJkLPJTDWFTw>

复制链接

二维码分享



保存二维码

海报分享



保存海报


三种分享方式

2.4.8.4 Developers test their applications from the user's perspective

1. Download the poster to share and open it on WeChat mobile app (this way is more commonly used by users).



2. Scan the code to enter the interface and observe whether the "guide language" is correct, whether the format is well-formatted, etc.





- 1.快速生成水下人物、动物等风格头像
- 2.女头输入提示：一个女孩
- 3.男头输入提示：一个男孩
- 4.动物输入提示：一只猫、一只熊猫
- 5.可以加形容词：一个可爱的女孩等，可以无限探索
- 6.好东西值得耐心等待（生成图片大约1-2分钟）

一只可爱的熊猫



a cute girl






3. Imitate the user's input prompt word to generate the image.

Note: Users can directly enter Chinese or English. When entering Chinese, ZenlinAI will convert it to English in the background, greatly reducing the user's usage threshold (language threshold).

4. After you choose to join the app store, your app can also be seen in the app store after the backend operation personnel approve it.




2.4.8.5 Collect and listen to real feedback from users

Based on feedback, fine-tune your model parameters, prompts, etc., until you can generate predictable images stably.




水下人物、动物头像

快来制作卡哇伊水下风格头像



水下人物、动物头像

生成属于自己的水下人物头像, 以及可爱的动物的头像



财宝宝头像

财宝宝头像 财运不限量-上传头像 写下中文描述 就可以定制财气满满的可爱风卡通头像



2.4.8.6 Direct drawing

The model style has been fixed, Pika's style. It only needs to belong to the main element in the dialog box to produce the picture. For example, the dog and the little boy below.

The screenshot displays the Pika AI interface, divided into a settings panel on the left and a generation area on the right.

Settings Panel (Left):

- 创建模型** (Create Model)
- 皮卡思风格头像** (Pika Style Avatar)
- 参数** (Parameters)
- 模型头像** (Model Avatar)
- 模型名称 *** (Model Name): 皮卡思风格头像
- 模型型号** (Model Version): MJ画图(0.49元/互动)
- 风格定义** (Style Definition): Super handsome, pixar style, 3D character, soft colors, best quality 8k, minimal,
- 尺寸** (Size): 1:1
- 混乱** (Chaos): 0
- 质量** (Quality): 2
- 基准图** (Reference Image): 选择基准图
- 垫图** (Placeholder): 上传垫图
- 垫图权重** (Placeholder Weight): 2
- 无缝图案** (Seamless Pattern):
- 模型版本** (Model Version): v5.1
- 艺术强度** (Artistic Intensity): 100
- 确认** (Confirm)

Generation Area (Right):


- 存为基准图** (Save as Reference Image)
- 下载全部** (Download All)
- 下载选中** (Download Selected)
- a boy** (Prompt)
- 点击上传** (Click to Upload)

By fixing the model style of a dream element, we can freely input the appearance of the dream in our imagination to achieve "AI dream drawing".




2.5 App store

When we create a new application, if we choose to add it to the app store (similar to the App Store), it will be a great opportunity for more people to discover and use the artificial intelligence application we have created. Through the app store, we can push our application to a wider audience, thus gaining more attention and user usage.



Zelin AI app store, there are many practical and fun applications, you can **quickly search** for the application you want, welcome everyone to experience .



In the AI era, everyone's imagination will be released sharply, and with the assistance of ZelinAI, everyone can turn their imagination into AI applications, and everyone is an AI application developer!

2.6 Intelligent Agent Market


2.7 ZelinAI is proud to be a Microsoft Partner

In addition, ZelinAI is honored to be a partner of Microsoft, and currently has access to OpenAI through Microsoft services. This is the only compliant way to access OpenAI in China, so everyone can use it with confidence.

With the advent of ZelinAI, the construction of artificial intelligence applications has become more popular and convenient. This tool provides a platform for non-technical users to develop AI applications, allowing them to better participate in this trend and unleash their creativity. The cooperation with Microsoft has brought more convenience and trust to users, let us jointly embrace an intelligent and efficient future. Now is the best time to invest in the field of AI, let us walk at the forefront of this era full of opportunities and explore infinite possibilities together.

2.8 Consumption & Recharge

The application function is a free function , and everyone can create their own AI application based on their own model, **but when the application is used by users, because it will go through Microsoft's OpenAI interface, it will generate usage fees** .

 In order to facilitate the User Experience, the application function ZelinAI will provide users with a 20 yuan experience fee.

The interaction volume refers to the conversation or Q & A between the user and the application. Each successful conversation or Q & A is counted as 1 interaction volume.

2. The fee for 1 interaction based on GPT 3.5 is 0.06 yuan;

3. The charging for 1 interaction volume based on GPT4 is tentatively set at 0.5 yuan;

The screenshot displays the ZelinAI dashboard with the following data:

余额(元)	用户量	互动量	PV量	赞量
31.14	833	1572	8197	33

The '互动量' (Interaction Volume) pop-up window contains the following text:

互动量

- 1、互动量为用户与应用进行的对话或问答，每次成功的对话或问答计作1互动量；
- 2、基于GPT3.5的1互动量计费为0.06元；
- 3、基于GPT4的1互动量计费暂定为0.5元；

Of course, we can build high-quality AI applications that meet the needs of enterprises and solve their pain points, helping enterprises reduce costs and increase efficiency. This not only fills the cost, but also earns considerable profits. In fact, ZelinAI wants to continue to provide free services to everyone, but the referral speed of the application is terrifying and amazing, and every conversation and Q & A of AI requires money. As a startup company, we really cannot afford such a high and uncontrollable amount.

Click **Recharge**, select the amount, WeChat scan code payment to recharge successfully.




2.9 Earn profits

2.9.1 AI Application Benefits

As long as our packaged AI applications have value and demand, users can pay to use them and earn profits.

A good AI application can provide users with high-value functions and services while meeting market demand. In this way, users will be willing to pay for it, and artificial intelligence developers can earn profits in the process. In addition, with the continuous development of technology, developers can further increase the value and attractiveness of artificial intelligence applications through continuous improvement and innovation, thereby attracting more users and expanding market share.



App Usage Revenue

The application supports multiple payment models, and you can choose to charge **by time** or **by number of times**. Both payment methods can create multiple payment packages to help developers better earn revenue.

应用 / 修改H5应用

输入设置: 文字输入 语音输入

输出设置: 输出文字 输出语音

设置自动播放: 输出语音自动播放

请选择播音员: 女声普通话

是否付费: 免费 付费 (12币=1元, ZelinAI将收取10%手续费)

请选择付费方式: 按时间 按次数

免费体验期: 免费 天, 每天最多 次。

付费方案: [添加付费套餐](#)

- 10Z币1天, 每天最多使用5次
- 29Z币3天, 每天最多使用5次

是否开启分销: 不开启 开启

应用属性: 公开 私有

应用 / 修改H5应用

输入设置: 文字输入 语音输入

输出设置: 输出文字 输出语音

设置自动播放: 输出语音自动播放

请选择播音员: 女声普通话

是否付费: 免费 付费 (12币=1元, ZelinAI将收取10%手续费)

请选择付费方式: 按时间 按次数

免费次数: 免费 次。

付费方案: [添加付费套餐](#)

- 10Z币使用5次
- 29Z币使用15次

是否开启分销: 不开启 开启

应用属性: 公开 私有

Free trial period: Setting up a **free trial period** can give users the opportunity to experience the application, and then make a purchase after experiencing it.

- Free __ days: The number of days that users can use for free.
- Maximum __ times per day: the number of times you can use it per day in the number of free days.

Paid plan: Developers can design and add paid packages by themselves, and users can purchase them according to the package. Click " **Add paid package** " to set the package price and usage frequency on the pop-up page.

- When the payment method is **by time** , you can set the price of the package and the number of uses.


The screenshot shows a '添加付费套餐' (Add Paid Package) dialog box on the left and a '付费方案' (Payment Plan) list on the right. The dialog box has three input fields: '价格' (Price) in Z币, '使用天数' (Usage Days) in 天, and '每天最多使用次数' (Max Uses Per Day) in 次. A '确定' (Confirm) button is at the bottom. The '付费方案' list contains two items: '10Z币1天, 每天最多使用5次' and '20Z币2天, 每天最多使用5次', each with a delete icon (X).

- When the payment method is **by the number of times** , you can set the price of the package, the number of days of use, and the number of times of use.

The screenshot shows a '添加付费套餐' (Add Paid Package) dialog box on the left and a '付费方案' (Payment Plan) list on the right. The dialog box has two input fields: '价格' (Price) in Z币 and '使用次数' (Usage Times) in 次. A '确定' (Confirm) button is at the bottom. The '付费方案' list contains two items: '10Z币使用5次' and '20Z币使用5次', each with a delete icon (X).

Application distribution revenue

The application supports users to distribute. Users (distributors) share links with other users to use. After the shared user purchases, the distributor will receive a certain percentage of revenue. The distribution details can be viewed on the revenue page.



The sharing ratio is set by the developer.

是否开启分销 不开启 开启 分成比例 % (分成比例10%~70%)

For example, there is now a "RED Copywriting Assistant" H5 application that supports distribution. The payment method is paid by time, and the free trial period is 1 day. Three packages are set up, and distribution is opened. The sharing ratio is 30%.

是否付费: 免费

付费 (1Z币=1元, ZelinAI将收取10%手续费)

请选择付费方式 按时间 按次数

免费体验期 免费 天, 每天最多 次。

付费方案

[添加付费套餐](#)



10Z币1天, 每天最多使用5次 ×

48Z币5天, 每天最多使用5次 ×

95Z币10天, 每天最多使用5次 ×

是否开启分销 不开启 开启 分成比例 % (分成比例10%~70%)


When users use this application, click on the **remaining usage rights** prompt text, the pop-up page will display the package set by the developer, and users can choose the package to purchase usage rights.





The number of usage rights will increase accordingly after purchase.





Developers can see users' consumption records on the revenue page, and the earned revenue can be withdrawn.



Users click on the red envelope icon, you can distribute applications, click on the **sharing application**, copy the **sharing link** of the pop-up page, and others can get profits after purchasing through the link.



To view the distribution situation, you can enter the **My Application** page and enter the **revenue** page.



Enter the user revenue page to view the distribution details.

ZelinAI | 收益

阿白

1 总分销应用数 [赚分红](#)

1 总分销人数

3 总收益

0 已提现

3 剩余可提现 [提现](#)

[分销明细](#) [提现明细](#)

分销时间	分销应用	消费用户	分销金额(元)	总收益(元)
2023-07-08 18:32	小红书文案助手	雨泽 (ID: 135512)	+3	3

2.9.2 Distribution revenue

All annual members of ZelinAI Professional and Flagship editions have distribution capabilities!

Click "**Generate Invitation Link**

For example:

<https://zelinai.com/s/55dmzaPrhJ2nGwSAKqNkwk>

zl 旗舰版 有效期至2023年08月14日 [续费 >](#)

你的邀请码 [生成邀请链接 >](#)

1 0 9 9

让新用户注册时填写自己的ID

注册ZelinAI

邀请码

[确定](#)

注册成功后

受邀用户将获得2天专业版使用时长

恭喜你

赠送PRO版本免费体验时长

[我知道了](#)

受邀用户2天内付费立减50元

开通专业版年费，你会获得50元奖励金

开通旗舰版年费，你会获得100元奖励金

受邀用户立减
拉新用户返现

💰 The current professional version discount price is 4 99 yuan/year/person, and the flagship version discount price is 7 99 yuan/year/person. By sharing, users can get a discount of 5 0 yuan, that is, only 449 yuan can buy a year of professional version, only 749 yuan can buy a year of flagship version. At the same time, the sharer can get 5 yuan or 1 00 yuan reward as income.

2.10 Certification and badge


Now, ZelinAI has opened certification and badge applications. Developers can showcase their Big V identity to the public, whether they are individual developers or enterprise developers.

2.10.1 Developer certification

On the certification information page, enter the relevant certification information, upload the certification image, and click "Submit Application". The review time is 1-2 working days. If the certification application has been approved, this page will display the current certification information.

If you want to reapply for certification information, after modifying the information and uploading the certification image on the current page, click "Modify Application" to reapply for certification.

Note: A maximum of 5 certified images can be uploaded.



The screenshot shows the ZelinAI web interface. On the left is a navigation menu with items: 对话, 模型, 训练, 应用, 分销, 收益, 消费, 应用市场, and 系统设置 (highlighted). The main content area is titled '认证信息' (Certification Information) and includes a sub-tab '认证信息'. It features a '认证类型' (Certification Type) section with radio buttons for '个人开发者' (Individual Developer) and '企业开发者' (Enterprise Developer). Below this is a '认证信息' (Certification Information) text input field. The '认证图片' (Certification Image) section has a '点击上传' (Click to Upload) button. At the bottom of the form is a '修改申请' (Modify Application) button. The top of the page shows '旗舰版 有效期至2024年06月17日 续费' (Flagship Edition, Valid until June 17, 2024, Renew).

After the authentication is passed, you can see the authentication information on the developer page.

ZelinAI

ZL 桃子

认证: ZelinAI产品经理
简介: 很高兴认识你, 我是桃子~

4 总应用量

4 总用户量

29 总PV量

35 总热度

1 总赞量

排序 热门 最新

水务助手
水务助手, 生成月报、年报、公函。
0 36
去使用

办公
小红书文案助手
输入主题, 让ChatGPT帮您生成小红书文案
0 33
去使用


办公
xscs
1 20
去使用

水务助手
水务助手
0 18
去使用

2.10.2 Badge

The badge will be displayed on the developer's homepage. Click on the badge to view details and obtain the time.

Please contact ZelinAI customer service to apply for a badge.




2.11 System settings

System settings are settings for personal information. Developers can modify basic information or upload authentication information here.

2.11.1 Modify personal information


On the basic information page, you can modify your nickname, edit your profile, and click Save to take effect.

Click on the profile picture to upload a new profile picture.



2.11.2 Change password

Find " **Click to change password** " in the basic information page, and you can modify it in the pop-up page after clicking.



Before modification, you need to enter the old password for verification. After verification, you can modify the password.

修改密码

旧密码

新密码

确认新密码

确认

2.11.3 Log out

If you want to log out of the system or switch accounts, on the basic information page, you can find the " **log out** " button.

ZelinAI

旗舰版 有效期至2024年06月17日 续费 >

对话

模型

训练

应用

分销

收益

消费

应用市场

系统设置

基本信息 认证信息

头像: (建议尺寸: 200*200px) ZL ZelinAI

昵称: 桃子

简介: 很高兴认识你, 我是桃子~

账号: 131 **** 2217

密码: 点击修改密码

App Key: *****

App Secret: *****

保存 退出登录

ZL 桃子 ID: 135589


3. Use the API interface

3.1.1 Get App Key and App Secret

App Key is the public key, mainly used to verify the legitimacy of API interface access.

App Secret is the private key, which is used in conjunction with App Key. It is mainly used for signing request parameters and verifying callback parameters.

If you need to access the interface, click the **purple** copy icon to directly copy the App Key or App Secret for use.




3.1.2 Interface documentation

If you need interface documentation, click on the **gray circular** prompt icon to jump to the [official interface documentation of ZelinAI](#).

4. Enterprise version introduction

The main purpose of ZelinAI Enterprise Edition is to facilitate the creation and use of AI applications by enterprises. Its feature is that it provides the function of assigning sub-accounts to the main account, which can assign different numbers of employee accounts according to the needs and scale of the enterprise. At the same time, it can also set up administrators to assist in managing employee accounts. In this way, various departments or teams of the enterprise can more conveniently use AI applications to improve efficiency. Moreover, ZelinAI Enterprise Edition also provides a series of tools and services, allowing enterprises to have a deeper understanding and use of AI, thereby promoting the AI process of the enterprise.

4.1 Corporate culture setting



Company name: Set the company name

Upload company logo: Recommended size 240 * 104 (PC end) 200 * 200 (mobile end)

Login page background cover: Recommended size 1920 * 1080 (pc end) 750 * 1600 (mobile end)

Configure an exclusive domain name for the enterprise: yuze.zelinai.com cannot be edited by yourself, you need to contact customer service to modify

Regarding exclusive domain names

The address bar is the enterprise link, and enterprises can have their own exclusive links. After upgrading to the enterprise version, a string of letters is randomly generated as the exclusive domain name by default.

Enterprise exclusive link, the structure is like this https://____.zelinai.com/

The content in the space is the exclusive domain name, usually the English, Chinese Pinyin, abbreviation, etc. of the enterprise name

4.2 Employee management

In ZelinAI Enterprise Edition, by default, each enterprise can create and assign 4 employee accounts. This default setting is designed to provide basic flexibility and reasonable quotas. However, enterprises can also purchase more employee accounts according to their own needs to adapt to larger organizational structures and more employee participation. The enterprise main account serves as the primary administrator and can set up administrators to assist in managing employees. In this way, enterprises can flexibly allocate and manage accounts according to actual situations, ensuring that every employee can fully utilize the functions and advantages of ZelinAI Enterprise Edition.



Recharge: Recharge employees on demand, and the recharge fee is deducted from the enterprise balance or the number of training characters. Used for employees to purchase the right to use dialogue applications, intelligent agent interaction, and consumption of training storage fees



Recycle: Recycle all employee account balances or the number of training characters.

Edit: Edit member information

View: Visit the Employee Account Console to view and use employee accounts.

Add & edit members

Create sub-accounts. You can choose to add individually or create in batches. Create in batches, download the form, fill it out and import it.



Username (for later login) : yuze001

Password : 10-16 digit password, only allowed and must contain uppercase and lowercase letters and numbers

Name (displayed nickname): Xiaoyu

Identity Settings : You can choose to set administrator or employee identities; administrators can manage employees, add employees and assign resources **at their disposal** . The main account can assign the number of people that can be created and the number of people that can be managed to the administrator (the manageable sub-accounts of the administrator are: accounts created by the administrator himself and additional accounts assigned by the main account)

Function assignment : dialogue, model, training, application, revenue, consumption; administrators can also assign enterprise settings and employee management functions

Model model allocation : Microsoft 3.5, ERNIE Bot, Microsoft 4, MJ Paint, Spark, SD Paint, DALL · E3

Training dataset assignment : You can assign training dataset functions and specific training datasets to employee accounts. Only when you check Do not add specific training datasets, it means that only the training dataset functions will be assigned

Assign Data : Assign the balance and training characters of the main account to the employee account



This part is to select the actual required functions for employees based on their own enterprise situation.

Assign conversation apps : You can assign apps to the conversation list of employee accounts. For example, you can assign apps by department, which apps are used by the sales department and which apps are used by the operations department. (You can customize the sorting of apps according to enterprise needs. This order is the sorting of conversation apps displayed after employees log in to their accounts. This operation is to drag and sort the apps under "Assign conversation apps")



Batch upload : Batch create employees

批量上传

注意：批量上传的员工账号拥有相同的功能配置请选择需要分配相同功能的账号进行批量导入。

选择文件:

↑ 将Excel文件拖动到此处上传或 [点击上传](#)


模板:

身份设置: 员工 管理员


4.3 Employee account login

To access the domain name just configured: yuze.zelinai.com


The login page displays the company logo and background cover we just created. Then enter the newly created employee account and password.



Once the employee account is successfully logged in, its user experience and functions are exactly the same as personal accounts. Employees can fully utilize AI applications to improve efficiency and work quality according to their own work needs. This design ensures the universality and scalability of the enterprise version, which can meet various business needs regardless of the size of the enterprise or the number of employees.



PC端登录界面




移动端登录界面

If only the conversation function is assigned to employee accounts, the following effect after account login is that only the conversation application assigned by the administrator can be used. Account balance can be viewed for consumption.




PC端子账号余额显示



移动端子账号余额显示



4.4 Consumption statistics

The consumption statistics table is divided into overview, model statistics, sub-account statistics, application statistics, and sub-account dialogue statistics. Enterprises can choose the table to view according to their needs to view the situation of employees using model applications, etc. The table data can be exported.



4.5 Dialogue Details

The H5 application created by the main account of the enterprise version can see the detailed usage of employees. From the data view of the application, enter "View Conversation Log" to see the usage details of the employee account, which is convenient for controlling the usage of employees and adjusting the application effect through usage data.



5. ZelinAI Package Introduction

Packages/Features	Basic version	Professional Edition	Enterprise Edition	Enterprise Edition
Create model (pieces)	1	10	Unlimited	Unlimited
Support parameters	3	All	All	All
Daily free Number of conversations	10	100	200	200
Free trial gold	¥10	¥20	¥100	¥200
Training data set	1	10	Unlimited	Unlimited

Number of applications AI	1	10	Unlimited	Unlimited
Price	Free	69 yuan/month 499 yuan/year	99 yuan/month 799 yuan/year	999 yuan/person/year (5 accounts minimum purchase)

6. FAQs

Does ZelinAI support multiple data types?

Currently, ZelinAI supports processing text-based data.

Q: Do I need programming knowledge to use ZelinAI?

A: No. ZelinAI provides an easy-to-use visual interface to create AI applications without programming knowledge.

Q: On which platforms can I deploy my AI application?

A: The packaged AI application is an H5 page. You can choose to mount the application to WeChat official account and share the link or poster with friends.

Q: Does ZelinAI support custom Model Training?

Yes, ZelinAI provides training small models based on your own dataset.

Q: Is my data safe?

ZelinAI has taken strict security measures to protect your data security and privacy, ensuring that data is encrypted during transmission and storage.

7. ZelinAI Assistant

https://www.zelinai.com/mobi/home?app_id=5aeKffedpotMGtGzUJEtzG



The above is the user manual of ZelinAI. We hope it can be helpful for you to use ZelinAI. For further support and guidance, please feel free to contact our technical support team. Wish you a pleasant use!