

SGLGATE

The Most Intelligent IDE for Databases

PRODUCT INTRODUCTION





INDEX

Company Introduction

• SQLGate


- Introduction
- History
- 10 Reasons to Choose SQLGate
- Available Databases & System Requirements
- Main Features
- Competitive Edge
- Main Clients

• Price / Purchase

- Price
- Purchase Guide

To Maximize Data Business Productivity

We are a leading **software technology company.** We make high-quality software using the newest technology to make a successful business.



CHEQUER



07801, Republic of Korea

+822-338-1876

CHEQUER Inc. Founded in December, 2016 CEO In Seo Hwang

COMPANY INTRODUCTION

VISION / MISSION / CULTURE



Vision

To Maximize Data Business Productivity



Mission

To make database-related tasks more enjoyable by creating safer and faster environments



Experts in Software Developing

CHEQUER Inc. is a company <u>comprised</u> of top database experts found in the country.

We operate the best DevOps system in the world with engineers experienced in a wide range of areas including database, software localization, global payment, software product line and more.



Innovative Company Culture

Freedom, Responsibility, Authority, Communication, Reward

We stand by 5 core values and an innovative organizational company culture. We encourage a free work environment which allows organic communication among the members, making the best possible use of our responsibilities and authority to create the world's leading software.


SQLGATE

Maximize Your Productivity with **The Most Intelligent IDE** for Databases



A Data Integration Management Tool that supports everything from data

collection and storage to the operation and management phase.



6

How do you manage a **database**, the core asset of a company?

Are you still depending on inconvenient database management softwares?



Is there a simple and easy way to connect to a database without using a database client?





Can we run multiple SQL queries at the same time and see the results on one screen?

Are there any tools that can backup and monitor a database as well as write SQL and PL/SQL?

SQLGate is the World's Best IDE

for Database Management and Development.





10 REASONS TO CHOOSE SQLGATE



A Database Tool Validated by Top Companies

Over 2,000 customers use SQLGate, including finance, public, manufacturing and IT companies.



Remarkably Improved Productivity with Autocomplete and Template Capabilities

Functions include autocomplete of names of tables, different views, functions, triggers, procedures and templates.



8

Provides UI that focuses on User Experience

Users can customize various UI options, such as choosing one of 4 available themes and picking a grid color.



Offers Quick and Efficient Data Analysis

The filter, sort, and grouping functions in the grid allow efficient data analysis. Similar to Excel, copy, paste, and statistical functions are also available.

5

Includes PL/SQL Editor and Debugger

Set a breakpoint in procedures, packages, and functions. View parameter or breakpoint variable values.



Execution Plans Display Available in Different Forms

View results in treeview, text, flow chart, and more for easier data analysis. Objects within the execution plan can also be analyzed.

Creates Object Reports in Minutes

Export all objects in an organized form using unique templates provided.

The Most Suitable Software to Adapt to Dynamic Cloud Environments.

Various types of cloud-based database such as AWS and Azure are supported, and updates are regularly provided for efficient DevOps.

9


Integrated Software for All Data Users

This software is used and needed by DBAs, developers, and data scientists for data management, analysis, database monitoring and more.



Our development team is comprised of the top database/software developers in the country. We continuously seek to add and improve features to make database-related work more enjoyable.

AVAILABLE DATABASE & SYSTEM REQUIREMENTS



Database support for Cloud environment: AWS Aurora(SQLGate for MySQL, for PostgreSQL)

Azure Database(SQLGate for MySQL, for PostgreSQL, for SQLServer)

SQLGATE MAIN FEATURES (1)

		Λ-		• 1	E.	n		
	-7	4 1		14	- 64	U		
						×.	-	

III 세 접속 - SQLGate for Oracle Developer 8.3.2.0 또									x		
	•										
Net 로그인(N) 이다 로그인(I)		ion_dev2 kai	st KCAMS_USR system								
A154		즐겨찾기	별명 🗸	호스트/TNS 이름	사용자	접속 모드	접속유형	서비스이름	포트	최근 접속	색
호스트(H): test-db.sqlgate.com +			system@test-db.sqlgate.com:26000:XE	test-db.sqlgate.com						2018-01-22 오후 4:19:47	
test-ob.sqgate.com + 사용자(U):	2		system@test-db.sqlgate.com	test-db.sqlgate.com	system	Normal	NET	XE	15739	2018-01-08 오후 2:26:23	
system	3		Orade 9i (KSC5601)	test-db.sqlgate.com	system	Normal	NET	ORCL	15518	2017-07-27 오후 7:50:11	
system 암호(P):	4		Orade 12c	test-db.sqlgate.com	system	Normal	NET	XE	18058	2017-09-11 오후 3:20:16	
********	5		Orade 11g (KSC5601)	test-db.sqlgate.com	system	Normal	NET	XE	19523	2017-07-28 오전 10:29:44	
✔ 유니코드 사용(S)	6		Orade 11g (JA16SJIS)	test-db.sqlgate.com	system	Normal	NET	XE	18844	2017-07-28 오전 10:30:24	
✔ 유리포드 사용(b) ✔ 암호 저장(W)	7		Orade 11g (AL32UTF8)	test-db.sqlgate.com	system	Normal	NET	XE	16502	2017-08-01 오전 11:38:29	
접속 모드(M): 포트(R):	8		Orade 10g (AL32UTF8)	test-db.sqlgate.com	system	Normal	NET	XE	10010	2017-07-27 오후 6:02:40	
u ¬ ⊥ _ ლ. ⊥ _ ლ. Normal → 26000											
• SID · 서비스이름(A):											
XE											
문자 집합(E):											
AL16UTF16 -											
날짜형식(F):											
DEFAULT -											
색(L):											
•											
접속 테스트(T)											•
		계찾기만 보기	(v) 암호표시(o)								
	- e -	지못기만 모기									
								접속	₹(<u>C</u>)		
서버 정보: system@test-db.sqlgate.o	-om:260	100									1.
n of a set of seat of seat of sedigates to	Louin Lou										

FEATURE 02

🖓 SQL 기록 - system@test-db.sqlg	ate.com:26000.XE		_ = ×
	i + 🖉 🗕 🧯 a 🗃 a 🗗 🗶 i 🛋 🔛		
8 🖬 루 🗉	장을 내용: Q, 접속 정보: <all></all>		
SQ. Procedure/Function			
Indecode (in control			
🔲 📫 Main			
	SELECT * FROM TAB		
	SELECT COUNT(*) FROM ITEM_STOR_M WHERE STOR_CD = 'S1801' DELETE FROM ITEM STOR M WHERE STOR_CD = 'S1801'		
	COMMIT		
	DELETE FROM ITEM_STOR_M WHERE STOR_CD = 'S1801'		
	SELECT A.* FROM (SELECT IT	0.172 2018-01-10 呈享 12:5 km dev2@14.63.163.2	
	SELECT A.* FROM (SELECT ROWNUM AS RNUM, I	0.172 2018-01-10 空車 12:4 km_dev2@14.63.163.2	
		#EE M26(: 4 tf M27 9 B B tf 0.1 2018 01:25 2 G # 243 symmethate-the abjust 0.47 2018 01:05 2 G # 243 symmethate-the abjust 0.47 2018 01:05 2 H 11 50 Upt # 0.49 2018 01:05 2 H 11 50 Upt # 0.47 2018 01:05 2 H 11 50 Upt # 0.47 2018 01:05 2 H 11 50 Upt # 0.47 2018 01:05 2 H 11 50 Upt # 0.47 2018 01:05 2 H 4:0 Upt #018 63.532 0.172 2018 01:03 2 H 4:0 Upt #018 63.532 0.172 2018 01:03 2 H 4:0 Upt #018 63.5331 0.172 2018 01:03 2 H 4:0 Upt #018 63.5331 0.172 2018 01:03 2 H 4:0 Upt #018 64.5331 0.172 2018 01:03 2 H 4:0 Upt #018 64.5331 0.172 2018 01:03 2 H 4:0 Upt #018 64.5331 0.171 2018 01:03 2 H 4:0 Upt #018 64.5331 0.172 2018 01:03 2 H 4:0 Upt #018 64.5331 0.172 2018 01:03 2 H 4:0 Upt #018 64.5331 0.172 2018 01:03 2 H 4:0 Upt #018 64.5331 0.172 2018 01:03 2 H 4:0 Upt #018 64.5331 0.172 2018 01:03 2 H 4:0 Upt #018 64.5331 0.172 2018 01:03 2 H 4:0 Upt #018 664.5331	
	SELECT A. * FROM (SELECT ITEM. *, ROWNUM AS		
	SELECT A.* FROM (SELECT ITEM.*, ROWNUM AS SELECT A.* FROM (SELECT ITEM.*, ROWNUM AS		
	SELECT A.* FROM (SELECT ITEM.*, ROWNUM AS SELECT * FROM AO\$ INTERNET AGENT PRIVS		
	select parameter, value from nis database parameters where parameter = NLS_CHAR		
	SELECT * FROM vsversion WHERE banner LIKE 'Oracle%'		
	SFLECT * FROM AOS. INTERNET AGENT PRIVS alan		
개수:314 system@test-db.solor	4		
system@test-ob.sgig	ster.com:20000:AE		1

Direct Database Connection without Client

No need to download a separate database client to connect to a database. You can flag connections with different colors and sort connection information in different groups.

* SQLGate versions for Tibero, DB2, and Cubrid require a separate ODBC Driver Installation to connect to a database

SQL Execution History


Manage the records of executed SQL queries. Soon functions will be upgraded to allow sharing of SQL execution records between groups and organizations with cloud interlinks.

SQLGATE MAIN FEATURES (2)

FEATURE 03

🔟 SQLGate for Oracle Developer - [개치	네 탐색기 - HR@	TESTDB.SQLGATE.C	OM:1602:XE:XE]								- • ×
[파일(F) 편집(E) 보기(V) 쿼리(Q)	만들기(C)	관리자(M) 도구(T)	창(W) 도움말(H)) 기본 레이아							
HR @TESTDB.SQLGATE.COM: 1602:XE:XE	- 📱 🖉	1 🗳 🗳 🔬	sql편집기 🔒 명	₩ E I M		P 🖓 🔞					
개제 탐색기											
· · · · · · · · · · · · · · · · · · ·	• U 주석		설짜: 2011-08-28 오후								
HR@TESTD8.SQLGATE.COM:16											
E 🔓 HR	02:AE:AE	🖒 🖶 ՝ 🖆									
□ ☶ 테이블(7)		4 EMPLOYEE_	ID* FIRST_NAME	LAST_NAME*		PHONE_NUMBER					MANAGER_ID +
COUNTRIES	cou										
III DEPARTMENTS	De			Kochhar		515.123.4568					
III EMPLOYEES	en										
IC65	job		103 Alexander	Hunold			2006-01-03 오전 12:00:00				
I JOB_HISTORY	Tal		104 Bruce	Ernst	BERNST	590.423.4568	2007-05-21 오전 12:00:00		6000		
IDCATIONS	Loc		105 David	Austin	DAUSTIN	590.423.4569	2005-06-25 오전 12:00:00		4800		
III REGIONS			106 Valli 107 Diana	Pataballa		590.423.4560 590.423.5567	2006-02-05 오전 12:00:00 2007-02-07 오전 12:00:00		4800 4200		
			107 Diana 108 Nancy	Lorentz Greenberg		590.423.5567 515.124.4569	2007-02-07 오전 12:00:00 2002-08-17 오전 12:00:00		4200		
🗉 🐔 트리거			108 Nancy 109 Daniel	Faviet	DFAVIET	515.124.4309	2002-08-17 또한 12:00:00 2002-08-16 오전 12:00:00				
표 유 인덱스			109 Damei 110 John	Chen	JCHEN	515, 124, 4269	2002-08-18 오전 12:00:00				
표 🔎 함수			111 Ismael	Sciarra		515, 124, 4369	2005-09-30 오전 12:00:00				
표 프로시저 표 🛱 패키지			112 Jose Manuel	Urman		515, 124, 4469	2006-03-07 오전 12:00:00				
비표 레기시 비 다 시원스			113 Luis		LPOPP	515.124.4567	2007-12-07 오전 12:00:00			(null)	
□ 🖓 시코프 교 😮 🖌 제약 조건				Raphaely	DRAPHEAL			PU_MAN		(nuli)	100 -
□ 류 등의어											•
표 🖧 작업		Filter AND <ros< td=""><td></td><td></td><td></td><td></td><td>1 SELECT T.*</td><td></td><td></td><td></td><td>-</td></ros<>					1 SELECT T.*				-
표 🕢 유형							2 FROM HR. EMPLOYE				
표 📾 데이터베이스 링크			EID equals <empt< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></empt<>								
田 🛃 구체화된 뷰		press the ut	ton to add a new cond								
田 🚜 구체화된 뷰 로그											
🗉 🔥 작업 스케쥴러											
□ 휴지통											
ANONYMOUS						4					+
HR @TESTDB.SOLGA											
Orade 11.2.0.2.0(유니코드) 자동 커밋	미월영화님 H	R@TESTD8.SQLGATE.	COM: 1602:XE:XE						CAP N	IUM 영어 8.0.0.	.2 정품인증됨 //

FEATURE 04



Object Explorer & Object Panel

The SQLGate object explorer, which provides quick and easy access to all objects in the database, is designed better than any other competitor. The object panel is also provided to aid in quickly and easily identifying objects while creating SQL.


Available in English, Korean, and More

SQLGate supports all contents and messages in 7 different languages including English and Korean.

Supports : English, Korean, Chinese (simple and traditional), Japanese, French, German, and Spanish.

SQLGATE MAIN FEATURES (3)

FEATURE 05



FEATURE 06

[]] SQLGate for Oracle Developer - [SQL 편집기 - HR@hr@testdb.sqlgate.com [SQL1]]	- 0 X
'≌(F) 편집(E) 보기(V) 쿼리(Q) 만들기(C) 관리자(M) 도구(T) 장(W) 도움맖(H) 기본레이아웃 ▼	
errefeetdo.sqlgate.com 🚽 🖢 🖉 🖕 🚔 👜 🚔 🚑 SQL 2827 🚓 🛱 😹 🖓 🖽 🖽 🛱 🖉 🗛 🖓	
8871	
	7 0 0 X
「1941」では、「1941」を考える。 「1941」では、「1941」では、「1941」では、「1941」では、「1941」では、「1941」では、「1941」では、「1941」では、「1941」では、	
sou* × D	
1 = SELECT a.DEPARTMENT NAME,	
2 b.FIRST_NAWE, 11 = SELECT a.JOB_TITLE, B.START_DATE, b.	
	PK2 시작일
	종료일
a EMPLOYEES b	업무 ID 부서 ID
bepartment_ID = b.DEPARTMENT_ID; DEPARTMENT_ID;	
11 SELECT a. 308_TITLE, B.START_DATE, b.	
12 FROM JOBS a, JOB HISTORY b	
Z SELECT & DEPARTMENT JANE,	
A DEPARTMENT NAME* FIRST NAME LAST NAME* PHONE NUMBER HIRE DATE* JOB ID*	
1 Administration Jennifer Whaten 515.123.4444 2003-09-17 空行 12:00:00 AD_ASST	
2 Marketing Michael Hartstein 515.123.5555 2004-02-17 오전 12:00:00 MK_MAN	
3 Marketing Pat Fay 603.123.6666 2005-08-17 오전 12:00:00 MK_REP FIELD : 5	0 0
4 Purchasing Den Raphaely 515.127.4561 2002-12-07 오전 12:00:00 PU_MAN	0 4
5 Purchasing Alexander Knoo 515.127.4562 2003-05-18 오전 12:00:00 PU_CLERK	
6 Purchasing Shell Baida 515.127.4563 2005-12-24 오전 12:00:00 PU_CLERK	
7 Purchasing Sigal Toblas 515.127.4564 2005-07-24 오전 12:00:00 PU_CLERK	
8 Purchasing Guy Himuro 515.127.4565 2006-11-15 오전 12:00:00 PU_CLERK	
9 Purchasing Karen Colmenares 515.127.4556 2007-08-10 오전 12:00:00 PU_CLERK	
10 Human Resources Susan Mavris 515.123.7777 2002-06-07 오전 12:00:00 HR_REP	
11 Shipping Matthew Webs 650.123.1234 2004-07-18 오전 12:00:00 ST_MAN	
. 데이테 실망개최 DBMS OLTPUT 실망개최(DBMS XPLAN) SQL 튜닝 친고자 AVMR 보고서 실망통계 및 세션 통계 에시지	
ket12.0.20(유니크드) 자동커밋비활성회됨 HR@inr@testdb.sdgate.com CAP NUM 영어 8.0.0.	2 정품 인증됨 //

SQL Auto Complete


SQLGate automatically indexes and recommends all the objects within the database such as tables, views, functions, and triggers.

Execute Multiple Queries


Run all queries in the editor at the same time and display the results in an organized, clean format.

SQLGATE MAIN FEATURES (4)

FEATURE 07



FEATURE 08



Extract, Create, and Auto-Align SQL

The Sort option makes it easy and quick to sort hundreds of lines of SQL. In addition to providing DML/DDL extraction, query builders can create complex T-SQLs in seconds.

Themes

Choose one of 4 available themes to match personal preferences and increase concentration.



SQLGATE MAIN FEATURES (5)


FEATURE 09

	- [SQL 편집기 - HK@nr@testa	o.sqiqate.com [SQL								
: 파일(F) 편집(E) 보기(V) 쿼리(Q) 만들기(C) 관리자(M) 도구(T) 장(W) 도움말(H) 기본 레이아웃 ↔										
HR@Hr@testbb.sdgste.com - 単 🖉 🖉 🌐 🖨 sq. 世智71 晶 昭 条 纬 [通 图 🖪 🕒 西 🖀 🚱										
SQL 편집기6										
개치 패널		심행 및 () =			കലം	13 m m 4 f	10000			
				, 90 · 10	an ⊞ (=/	1.00 - 10 - 10 - Ser C				
			<pre>_NAME, PHONE_NUM</pre>	BER,JOB_ID,C						
DEPARTMENTS DEPARTMENTS DOBS DOB_HISTORY DOC_HISTORY DOCATIONS	국가 테이블 부서 테이블 직원 테이블 업무 테이블 지역 테이블 지역 테이블 +									
•	, 걸	SELECT *								
	화위 분할 영역 · · · ·		ID* FIRST_NAME	LAST_NAME*		PHONE_NUMBER	HIRE_DATE*		ALARY COMMISSION_F	
			100 Steven				2003-06-17 오전 12:00:00			(null)
			101 Nana 102 Lex	Kochhar De Haan		515.123.4568 515.123.4569	2005-09-21 오전 12:00:00 2001-01-13 오전 12:00:00		17000 17000	(nul) (nul)
C +			102 Lex 103 Alexander	De Haan Hunold		515.123.4569	2001-01-13 또한 12:00:00 2006-01-03 오전 12:00:00		9000	(nul)
	데이터유형 🔺 7 🔺		104 Bruce	Ernst	BERNST	590.423.4568	2007-05-21 오전 12:00:00		6000	(null)
⊿ PK 월 E 6 HIRE DATE DAT			105 David	Austin		590, 423, 4569	2005-06-25 오전 12:00:00			(null)
9 COMMISSION PCT NUM			105 Valli	Pataballa		590.423.4560	2006-02-05 오전 12:00:00			(null)
	MBER(4)		107 Diana		DLORENTZ	590.423.5567	2007-02-07 오전 12:00:00	IT_PROG		
	MBER(6)			Greenberg	NGREENBE			FI_MGR		
	MBER(6)		109 Daniel					FI_ACCOUNT		
	MBER(8, 2)									
	RCHAR2(10 BYTE)									
2 FIRST_NAME VAR		데이터 실행계획								
		Select (1:1)	/107 0.211 초	1:53 삽입					까로 그리드	
			SQL 실행						NUM 영어 8.0.0.2	정풍 인증됨 ,

Powerful Data Grid

A grid that displays SQL results provides the same level of user experience as an Excel file. Users can convert data results by filtering, sorting, and grouping objects, as well as replicate data by copying and pasting.

FEATURE 10




Template-based Reports

Generate 13 different database object reports including tables, views, synonyms, procedures, triggers, and indexes.


Report Designer also allows customization of the report design.

SQLGATE MAIN FEATURES (6)

FEATURE 11



FEATURE 12



PL/SQL Editor (for Oracle)


SQL provides a dedicated PL/SQL editor for easy and quick creation/editing of functions, procedures, and packages.

PL/SQL Debugger (for Oracle)

Debug functions, procedures, or packages line by line. Breakpoints give an easy way to check variables and object variables at the stopping point.

SQLGATE MAIN FEATURES (7)


FEATURE 13



Execution Plan

Check the execution plan in the SQL editor. The results can be displayed in treeview, text, and flowchart. Click objects within the execution plan to analyze data further in detail.

FEATURE 14



ER Design

Reverse engineering allows creation and editing of an ERD (Entity Relational Diagram) and provides ERD output, storage and recall functions.

SQLGATE COMPETITIVE EDGE (1)

TOAD **VS** SQLGATE **VS** ORANGE

	Function	SQLGate	Toad	Orange
	Unicode (UTF8)	0	0	0
	Tree View Object Panel	0	x	0
General	Support Korean Language	0	x	X
General	Supported Languages	7 (Korean/English/Japanese/German/Chinese/French/Spanish)	English	English
	Themes	4 (Light/Blue Light/Dark/Dark Gray)	Not supported	Not supported
	Supported DBMS	Oracle / SQL Server / MySQL / MariaDB / DB2 / Tibero / PostreSQL / Cubird	Oracle / SQL Server / DB2	Oracle / SQLServer / DB2 / Sybase / Tibero
	Connect without Database Client	0	x	X
Connection	Save Connection History	0	0	0
	Label Sessions with Color	0	x	0
	Run Multiple Queries	0	0	0
	SQL Auto Save & Auto Recovery	0	x	X
SQL Editor	SQL Execution Plan	0	0	0
SQL EUILOI	SQL AutoComplete	Table/View/Field/Function/Trigger/Procedure	Table/View	Table
	SQL History (save history)	0	0	X
	Run SubQuery Only	0	0	X
Price (USD)	Per User	\$900	\$1,800~2,800	\$1,600~2,400

*Note: Prices may change depending on currency rate

SQLGATE COMPETITIVE EDGE (2)


TOAD **VS** SQLGATE **VS** ORANGE

	Function	SQLGate	Toad	Orange
	Single Stepping	0	0	0
PL/SQL	Step Over	0	x	0
	Execute until Next Exception	0	0	0
Object Explorer	View, Create, Filter Objects	0	0	0
	Object Privilege. Generate Script	0	0	0
	Query Builder	0	0	0
Manager/Tool	Security Manager	0	0	0
Manager/1001	Analysis Manager	0	0	X
	PL / SQL Encryption Tool	0	0	X
	Generate Report	0	X	0
	Update Period	2-3 weeks	3-6 months	2-6 months
Technical support	Urgent Technical & Remote Support	0	Х	X
	Improvement & Bug Reporting System	0	x	x
Price (USD)	Per User	\$ 900	\$1,800~2,800	\$1,600~2,400

*Note: Prices may change depending on currency rate

SQLGATE COMPETITIVE EDGE (3)

TOAD **VS** SQLGATE **VS** ORANGE



SQLGATE MAIN CLIENTS

Over 50,000 + Licenses sold!

More than 2,500 organizations and companies from manufacturing, finance, public, broadcasting and communication sectors have chosen SQLGate.


Initiation sectors have chosen solt date.

SQLGATE **PRODUCT PRICE**

SQLGate Perpetual License


Perpetual Licenses provide continued use of the product version.

You can purchase the license through a company or an organization and share it between members (within range of users purchased).



SQLGATE PRICE

Purchase New License for the first year and continue enjoying SQLGate by purchasing Maintenance License for the years to follow.



*Note: Prices may change depending on currency rate

SQLGATE **PRODUCT PRICE**

SQLGate Subscription Service (Monthly / Annual Plan)

A monthly or annual service with **manageable subscription fees**.

Flexible to use in any cloud environment. Regular updates always provide the latest version.

	Monthly			Annual
Suite	US \$40 / Month		Suite	US \$384 / Annual
Oracle	US \$25 / Month	ALL D	Oracle	US \$240 / Annual
SQL Server	US \$25 / Month		SQL Server	US \$240 / Annual
PostgreSQL	US \$25 / Month		PostgreSQL	US \$240 / Annual
Tibero	US \$25 / Month		Tibero	US \$240 / Annual
MySQL	US \$15 / Month		MySQL	US \$144 / Annual
MariaDB	US \$15 / Month		MariaDB	US \$144 / Annual
CUBRID	US \$25 / Month		CUBRID	US \$240 / Annual

PURCHASE SQLGATE

Purchase

+82 2-338-1876 (extension1)

Online Store

www.SQLGate.com/store

Free Trial Download

www.SQLGate.com Try the free version today!

