


Carestation Insights Analytics Applications



Transform complex data into actionable insights

Carestation Insights applications help identify opportunities that can:

- Improve perioperative productivity
- Reduce operating costs and optimize revenue
- Standardize best practices across anesthesiologists

Together with Aisys™ CS² Anesthesia Delivery Systems, Carestation Insights applications form an intelligent ecosystem that automatically captures and analyzes high-fidelity case data. Our applications use advanced algorithms to interpret this data and uncover actionable insights that are displayed on your personal devices: desktop, laptop, tablet, smart phone. Use these insights to help improve patient care and support your clinical and financial goals.

The Carestation Insights suite of smart applications includes

- **Checkout App:** Confirm daily anesthesia machine readiness
- Lung Protective Ventilation (LPV) App: Help support lung protection strategies
- Agent Cost App: Optimize the benefits of low-flow anesthesia
- **OR Workflow App:** Data to help improve perioperative productivity
- LIVE App: Supervise multiple ORs in real time* while on the move
- Coming soon! Adequacy of Anesthesia (AoA) App:
 Help support AoA strategies in real time*

^{*}Actual time may vary slightly due to hospital network and processing times.

Checkout Application

Confirm daily anesthesia machine readiness

Challenge

Daily pre-check of anesthesia equipment is essential, but can be overlooked in busy environments. Failure to perform checkout can lead to patient injuries and near misses.¹


Solution

A central source for daily machine checkout status enables you to measure and manage compliance to machine checkout procedures, helping support OR readiness and quality programs. This application tracks checkout status across your department, for every machine and OR, each day and over time.

Outcomes

- Ensure pre-use check compliance to help protect patients against injury
- Eliminate machine readiness as a factor in OR delays
- Support efficient operations and quality of care

Research shows **35%** of patient injuries from anesthesia gas delivery could have been prevented by a pre-use machine check.¹



¹ Mehta SP, Eisenkraft JB, Posner KL, Domino KB. Patient injuries from anesthesia gas delivery equipment. Anesthesiology 2013; 119: 788-95.

Lung Protective Ventilation Application

Support lung protection strategies

Challenge


Improper ventilation during anesthesia can increase post-operative pulmonary complications (PPC) by up to 60%. Mechanical ventilation can contribute to lung injury by delivering too much or too little pressure and volume, leading to over-distension or collapse. Consequently, these PPCs are linked to higher post-operative mortality and longer ICU and hospital stays.

Solution

Lung protective ventilation (LPV) strategies take into consideration the roles of tidal volumes, positive end-expiratory pressure, and recruitment maneuvers. ⁴ This Insights LPV application provides visibility into the use of LPV strategies in the operating room. This visibility and oversight can help support your goals of improving post-operative clinical outcomes associated with LPV.

Outcomes

- Identify opportunities to support lung protection initiatives
- Measure results that support LPV strategies
- · Help anesthesiologists comply with lung protection guidelines



² Futier, E., M.D., Constantin, J., M.D., PhD., et al (2013). A Trial of Intraoperative Low-Tidal-Volume Ventilation in Abdominal Surgery. The New England Journal of Medicine, 369(5). doi:10.341/f.718056191.793482037.

Fleisher, L. A., & Linde-Zwirble, W. T. (2014). Incidence, outcome, and attributable resource use associated with pulmonary and cardiac complications after major small and large bowel procedures. Perioperative Medicine, 3(7). doi:10.1186/2047-0525-3-7.

Lung Protective Ventilation (LPV) Application

Use this data to show adherence to LPV protocols

1.


Change in patient lung compliance during the maintenance phase.

2.

Use of recruitment maneuvers during the case and during specific case phases. Use of PEEP directly after the maneuver.

3.

Ventilation settings used throughout the cases and the resulting patient measurements, including VT/PBW, driving pressure, PEEP, Pplat, and $\rm EtCO_2$.



4.

Percentage of case time spent in volume vs. pressure or other supportive ventilation modes.

5

Ventilation setting and measurement averages shown by OR. Case level detail is available by sorting or drill-down.

Agent Cost Application

Optimize the benefits of low-flow anesthesia

Challenge


Anesthetic agents are the biggest ongoing expense in your anesthesia unit. Hospitals can spend an extra 15–30% on anesthetic agents due to high fresh gas flow rates. The agent release into the atmosphere can also contribute extra greenhouse gases equivalent up to 350 cars/year. 6,7

Solution

This Insights application analyzes flow data at the induction and maintenance case phases and translates it into anesthetic agent utilization, costs, and equivalent greenhouse gas emissions across your operating rooms to help drive low-flow anesthesia practices.

Outcomes

- Reduce anesthetic agent costs⁸
- Savings can be used by hospitals for other critical needs
- Support positive environmental impact



⁶Environmental Protection Agency. Emissions facts: greenhouse gas emissions from a typical passenger vehicle. Available at: http://www.epa.gov/oms/climate/420f05004.htm#key



Low-flow anesthesia supported by ecoFLOW software

ecoFLOW software helps support clinicians in the practice of low-flow anesthesia by predicting how much $\rm O_2$ is needed within the fresh gas flow for each patient to minimize the risk of delivering a hypoxic mixture—even at very low flows. ecoFLOW has the potential to deliver a positive impact on the environment and reduce agent costs when agent waste gases are reduced.

⁷ Global Warming Potential of Inhaled Anesthetics: Application to Clinical Use, Susan M. Ryan, MD, PhD, and Claus J. Nielsen, CSc International Society for Anaesthetic Pharmacology www.anesthesia-anelgesia.org July 2010; v111 #1.

*The role of the induction period in determining overall gas and vapour consumption. Ross Kennedy, MB ChB PhD FANZCA, Richard French2

MB BS FANZCA, Christchurch Hospital & University of Otago Christchurch, NEW ZEALAND. James Hanrahan BS MBA, and Guy Vesto BSc, GE HealthCare, Madison WI, USA. JB48535XX.

Kennedy RR, French RA, Vesto G, Hanrahan J and Page J. The effect of fresh gas flow during induction of anaesthesia on sevoflurane usage: a quality improvement study. Anaesthesia. 2019; doi:10.1111/anae.14669

Agent Cost Application

Using this data, hospitals can support initiatives to help drive improved financial outcomes

1.

Time weighted average fresh gas flow shown for the total case, and for induction and maintenance phases.

Average Induction Duration shown (length of the initial high flow period).


Agent cost per case and per minute computed for the time period.

2.

Total anesthetic agent and total agent cost shown for the time period.

3.

Average agent consumption by drug per case and agent cost/min by drug computed.



4.

Environmental cost of agent usage translated to CO₂ equivalency and number of hours driven in a car.

5.

Trends of agent usage and costs shown for the time period.

6.

Fresh gas flows and agent costs shown by OR. Case level detail is available by drill-down.

OR Workflow Application

Improve perioperative productivity

Challenge


Workflow and scheduling issues can reduce OR utilization by 10% per year. Even the most advanced systems, if reliant on manual data entry or manual communication, can leave room for errors and slow down workflow. And with operating room delays costing more than \$60 per minute. In inefficiency can become a burden.

Solution

This Insights application algorithmically determines case phase and OR status in near real time without the need for manual data entry. An OR efficiency score card is also calculated based on your goals to help track improvements over time.

Outcomes


- Increase OR utilization and case revenue
- Effectively prioritize OR turnover
- Make sure PACU beds are ready when needed
- Easily visualize case phase





⁹ NHS Institute for Innovation and Improvement. The Productive Operating Theatre. http://www.institute.nhs.uk/images//documents/Quality_and_alue/Productive%20Operating%20Theatre/Finance%20leaflet.pdf

¹⁰ Improving the economy of surgical services, Part 4. Strate, Cody. The Cost of a Lost Minute in the OR. Jun 22, 2018. https://www.accessefm.com/blog/the-cost-of-a-lost-minute-in-the-or





OR Workflow Application

Operating Room Status: Live view into OR case phase

- 1. Current phase and status summary of connected operating rooms.
- 2. Timeframe to view current operating room status in graphical form.
- **3.** Emerging rooms sorted automatically to the top of the list with a timer showing current length of the emergence phase.
- 4. Timeframe for completed cases shown in grey.
- **5.** Timeframe for current case in induction phase shown in purple.
- **6.** Timeframe for current case in maintenance phase shown in blue.
- 7. Timeframe for current case in emergence phase shown in orange.

Operating Room Analysis: OR efficiency scorecard

- **1.** Single efficiency score customized for the sites targets and goals.
- 2. Efficiency score tracked over time.
- **3.** Total number of completed cases and cases per OR.
- 4. Utilization rate of machines.
- 5. Average turnover time between cases.
- **6.** Duration of phases for all the cases.
- **7.** Average first case start time.
- 8. Individual operating room characteristics.

LIVE Application

Supervise multiple ORs in real time*

Challenge

Supervising multiple operating rooms, prioritizing activities and delivering medical direction, while outside the OR and constantly on the move, is demanding for one clinician. There is no simple way to quickly access the relevant patient and anesthesia data when not in the OR.

Solution

The LIVE application captures high-fidelity data from the anesthesia machine and patient monitor and organizes it into a simplified display on a mobile device. Clinicians receive real-time*, breath-by-breath data from multiple ORs, so they can review patient status and how anesthesia therapy is being delivered. They can then determine if an OR needs additional support. The user interface provides customizable notifications and access to detailed patient data.

Outcomes

- Supervise multiple ORs with confidence
- Enable clinicians to prioritize medical direction
- Help clinicians support adherence to protocols in real time*

[&]quot;IN GE \$ 9:41 AM \$ 100% OR 2 Trend 09:00 09:08 09:20 08:40 08:30 HR Imin BP mmHg Fi02

^{*}Actual time may vary slightly due to hospital network and processing times.

LIVE Application

Stay connected to your ORs while on the move

View Aisys CS² anesthesia workstation and CARESCAPE™ Patient Monitor data combined on your mobile device to help you supervise multiple ORs and respond to real-time* events.



Multiple OR View

Single OR View

Patient Trends Details

^{*}Actual time may vary slightly due to hospital network and processing times.

Coming soon!

Adequacy of Anesthesia (AoA) Application

Providing insights to AoA protocol adherence

Challenge

The Adequacy of Anesthesia (AoA) concept uses a combination of unique clinical parameters to provide a holistic view of the patient response to anesthesia therapy. Effective AoA strategies can greatly reduce adverse events¹¹ during and after general anesthesia and help minimize emergence times¹² for patients in the PACU. However, clinicians lack an efficient tool for reviewing adoption of AoA practices and associating those practices to measurable outcomes.

Solution

The Carestation Insights AoA application combines data from patient monitors and anesthesia machines[†] to present the data in an intuitive way, showing real time* and historical data measured against customized performance targets. The application shows the impact of AoA practices on patient recovery times by analyzing emergence time trends. This application includes the capability to track anesthetic agent costs and agent release into the atmosphere, helping you meet your financial and environmental goals.

Outcomes

- · Gain visibility into patient responses to inhaled and intravenous drugs
- Optimize AoA practices to help reduce variability across multiple ORs
- Analyze anesthetic agent use, cost and environmental impact

AoA Clinical Parameter Tools

Gain the intelligence you need from the Carestation Insights AoA application with the parameter data collected from

these unique CARESCAPE monitor AoA measurements.

Active Cases Marie Cases Clock Protocol Marie Cases Constitute Place State Constitute Cons

Entropy™ Parameter

Measure depth of anesthesia using GE Healthcare's proprietary Entropy algorithm and technologies, the patient's electroencephalograph (EEG) and frontal electromyograph (FEMG) data captured during general anesthesia. Entropy monitoring provides two indexes:

- **State Entropy (SE)** is an estimation of the hypnotic effect of anesthetic drugs on the brain during general anaesthesia may be based on SE value.
- Response Entropy (RE) is sensitive to the activation of facial muscles, (i.e., FEMG). Facial muscles may also give an early indication of emergence seen as a quick rise in RE value.



NMT Parameter

Quantitative NMT monitoring of muscle relaxation/recovery gives a clear picture of the individual dosage needs and facilitates optimal administration of neuromuscular blockade medications (NMBAs) and antagonists. Both electromyography (EMG) and



kinemyography (KMG) sensors are used to assess nerve and muscle responses to therapy. Studies have shown that implementing quantitative EMG neuromuscular monitoring resulted in a significant reduction in the incidence of incompletely reversed patients in the PACU 13 .


^{*} Actual time may vary slightly due to hospital network and processing times.

[†] AoA App collects data from CARESCAPE™ Patient Monitors and Aisys CS² Anesthesia Delivery System.

¹¹ Murphy, GS and Brull, SJ. Residual neuromuscular block: Lessons unlearned. Part 1: Definitions, incidence, adverse psychological effects of residual neuromuscular block. Anesth Analg 2010;111:120-128. 12 Vakkuri, A., et al, Spectral Entropy Monitoring Is Associated with Reduced Propofol Use and Faster Emergence in Propofol–Nitrous Oxide–Alfentanil Anesthesia. Anesthesiology 2005, Vol. 103, 274–279.

¹³ Todd., MM. et al. The implementation of quantitative electromyographic neuromuscular monitoring in an academic anaesthesia department. Anesth Analg. 2014; 119(2):323-31.

NOTE: This product is in development. Depictions of the AoA application are illustrative, subject to change, and may not be representative of the final product. Please contact your GE healthcare representative for updates.





AoA Application - Coming soon!

Operating Room Status: Live view into OR case phase

- 1. Total active cases and number of cases using AoA protocols.
- 2. Number of protocols currently out of compliance.
- **3.** Dashboard of total cases by anesthesia phase, and cases using AoA protocols.
- 4. Dashboard of all active cases using AoA.
- 5. Filter cases by phase or status.
- **6.** Specific OR details at a glance. Out of compliance protocols will be denoted with a box.

Operating Room Analysis: OR AoA practice and events overview

- 1. % of cases using AoA procotols by monitoring parameter.
- 2. % of cases using AoA parameters in graphical form.
- 3. Number of adverse events by type.
- **4.** Average emergence time across all cases for the timeframe.
- **5.** Average cost of anesthetic agents used across all cases.
- 6. Specific OR details by date click to drill down to OR level details.

NOTE: This product is in development. Depictions of the AoA application are illustrative, subject to change, and may not be representative of the final product. Please contact your GE healthcare representative for updates.

Carestation Insights Family of Analytics Applications

| INSIGHTS APP | CHALLENGE | SOLUTION | OUTCOMES |
|--------------------------------|--|---|---|
| Checkout | Ensure that anesthesia machines are ready for use | Central source for daily machine checkout status to enhance OR scheduling workflow | Help ensure pre-use checkout compliance Help protect patients from injury Support efficiency and quality of care |
| Lung Protective Ventilation | Risk of costly post-op lung complications due to improper ventilation during anesthesia | Insights to criteria related to LPV strategies and how they affect patient outcomes | Identify opportunities to support lung protection initiatives Measure results that support LPV strategies Help anesthesiologists comply with lung protection guidelines |
| Agent Cost | Effectively manage low-flow anesthesia strategies | Near real-time data on agent usage, cost and greenhouse gas emissions, supporting low-flow initiatives | Save on anesthetic agentsReduce greenhouse gas emissions |
| OR Workflow | Minimize costly OR delays and ensure PACU readiness | Near real-time visibility to case phases without manual data entry | Increase OR utilizationPrioritize OR turnoverEasily visualize case phase |
| LIVE | Supervising multiple ORs and prioritizing medical direction | Simple, real-time* access to data on patient and machine status and how therapy is delivered all while on the move | Supervise multiple ORs with confidence Assist clinicians to priortize medical direction Help support adherence to protocols in real time* |
| Coming soon! AoA | Unable to review AoA practices across ORs and associate with outcomes | Analyze AoA parameter data from patient monitor and anesthesia machine data in real time* and view historical trends† | View patient responses to drugs Support adherence to AoA protocols Analyze anesthetic agent use, cost and environmental impact |



www.gehealthcare.com

^{*} Actual time may vary slightly due to hospital network and processing times.

[†]NOTE: This product is in development. Depictions of the AoA application are illustrative, subject to change, and may not be representative of the final product.

Products may not be available in all countries and regions. Contact a GE Healthcare Representative for more information. Please visit www.gehealthcare.com. Data subject to change.

© GE, 2021 – All rights reserved. iPhone is a trademark of Apple Inc. GE, the GE Monogram, Aisys, Carestation, CARESCAPE, Entropy and Mural are trademarks of GE. Reproduction in any form is forbidden without prior written permission from GE. Nothing in this material should be used to diagnose or treat any disease or condition. Readers must consult a healthcare professional.

JB00126XX August 2021