



# Generic-List Testing Instructions

## 1. Insert Web Part to Page.



## 2. Edit Web Part Properties

On the Web Part itself will be written, that List ID must be set, when first time webpart will be inserted in the page.



### 3. Required Properties

#### List ID

This property must contain a GUID.

This GUID must be an ID of a list from the current web site.

In case not, an error message will be displayed on the webpart after refresh, explaining what must be corrected.

#### How can I get the List ID?

Click on list title in the navigation or in the site content.


Click on gear Settings in the top right corner.

Click on List settings.

Copy URL address from the browser.

Open Windows PowerShell.

Execute PowerShell Commands like pictured in the example below.




```
Windows PowerShell
PS C:\Users\ladislav.stupak> Add-Type -AssemblyName System.Web
PS C:\Users\ladislav.stupak> $listUrl = "https://server/sites/website/_layouts/15/listedit.aspx?List=%7B12345678-1234-1234-1234-123456789abc%7D"
PS C:\Users\ladislav.stupak> $decodedListUrl = [System.Web.HttpUtility]::UrlDecode($listUrl)
PS C:\Users\ladislav.stupak> Write-Host $decodedListUrl
https://server/sites/website/_layouts/15/listedit.aspx?List={12345678-1234-1234-1234-123456789abc}
PS C:\Users\ladislav.stupak>
```

This picture is also bigger on the site:

<https://www.stupak.ch/products/list-fields>

Between curly brackets is the List ID.

In this example the List ID is: 12345678-1234-1234-1234-123456789abc



#### 4. Optional Properties

Items Per Page

Pagination Buttons Count

---

**List-Fields** ×

Displaying all fields of selected list

Properties of the List

List ID


  

Items Per Page


Pagination Buttons Count

## 5. Republish the Page



## 6. List Title in Left Top Corner of the Web Part

In the left top corner of the web part will be displayed the title of the list after the prefix List-Fields.



## 7. Sorting is Possible

List-Fields Large List 2

Filter by Field: All

<input type="radio"/> Title	<input checked="" type="radio"/> StaticName ↑	Id
<input type="radio"/> Access Policy	AccessPolicy	b4cb0
<input type="radio"/> App Created By	AppAuthor	6bfab
<input type="radio"/> App Modified By	AppEditor	e0840
<input type="radio"/> Attachments	Attachments	67df9
<input type="radio"/> Auswahl	Auswahl	fe6b6
<input type="radio"/> Auswahl 2	Auswahl2	0cec6
<input type="radio"/> Created By	Author	1df5e
<input type="radio"/> File Name	BaseName	76154
<input type="radio"/> Bild	Bild	293d9
<input type="radio"/> Boolean Field	BooleanField	dff950

< < 1 2 3 4 5 6 7 8 9 10 > >

## 8. Sorting Descending

List-Fields Large List 2

Filter by Field: All

<input type="radio"/> Title ↓	StaticName	Id
<input type="radio"/> owshiddenversion	owshiddenversion	d4e44
<input type="radio"/> ZahlBerechnet	ZahlBerechnet	bb023
<input type="radio"/> Zahl2	Zahl2	eb1bc
<input type="radio"/> Zahl	Zahl	515eb
<input type="radio"/> Workflow Version	WorkflowVersion	f1e02
<input type="radio"/> Workflow Instance ID	WorkflowInstanceID	de8be
<input type="radio"/> Waehrung	Waehrung	1ac7e
<input type="radio"/> VirusVendorID	_VirusVendorID	32d40
<input type="radio"/> VirusStatus	_VirusStatus	df7fe
<input type="radio"/> VirusInfo	_VirusInfo	c4b17

< 1 2 3 4 5 6 7 8 9 10 > >|

## 9. Filter

List-Fields Large List 2

Filter by Field: All Content Type ×

<input type="radio"/>	Title	StaticName	Id
<input type="radio"/>	Content Type ID	ContentTypeId	03e45
<input type="radio"/>	Content Type	ContentType	c042a

< < 1 > >

## 10. Filter Field Change

List-Fields Large List 2

Filter by Field: Title Content Type ×

<input type="radio"/>	Title	StaticName	Id
<input type="radio"/>	Content Type ID	ContentTypeId	03e45
<input type="radio"/>	Content Type	ContentType	c042a

< < 1 > >



## 11. Selected Items

Selected items will be displayed under the list.

List-Fields Large List 2

Filter by Field:

<input type="radio"/>	Title	StaticName	Id
<input type="radio"/>	ID	ID	1d22e
<input type="radio"/>	Content Type ID	ContentTypeId	03e45
<input type="radio"/>	Content Type	ContentType	c042a
<input checked="" type="radio"/>	Title	Title	fa564
<input checked="" type="radio"/>	Modified	Modified	28cf6
<input type="radio"/>	Created	Created	8c06b
<input type="radio"/>	Created By	Author	1df5e
<input type="radio"/>	Modified By	Editor	d3165
<input type="radio"/>	Has Copy Destinations	_HasCopyDestinations	26d07
<input type="radio"/>	Copy Source	_CopySource	6b4e2

< < 1 2 3 4 5 6 7 8 9 10 > >

Title

Title	<input type="text" value="Title"/>	<input type="button" value="Get Value"/>
StaticName	<input type="text" value="Title"/>	<input type="button" value="Get Value"/>
Id	<input type="text" value="fa564e0f-0c70-4ab9-b863-0177e6ddd247"/>	<input type="button" value="Get Value"/>
AutoIndexed	<input type="checkbox"/>	
CanBeDeleted	<input type="checkbox"/>	
ClientSideComponentId	<input type="text" value="00000000-0000-0000-0000-000000000000"/>	<input type="button" value="Get Value"/>
ClientSideComponentProperties		

## 12. Double Click on an Item

Double click on an item in any field.

List-Fields Large List 2

Filter by Field: All

<input type="radio"/> Title	StaticName	Id
<input type="radio"/> ID	ID	1d22e
<input type="radio"/> Content Type ID	ContentTypeId	03e45
<input type="radio"/> Content Type	ContentType	c042a
<input type="radio"/> Title	Title	fa564
<input type="radio"/> Modified	Modified	28cf6
<input type="radio"/> Created	Created	8c06b
<input type="radio"/> Created By	Author	1df5e
<input type="radio"/> Modified By	Editor	d3165

The focus will be set on the first "Text Field" field. The value of this field will not be changed in any way. Only in case there are enough items in the list, like let say 10, then a scrolling down effect will be achieved, so that this one item will be visible below the list. In case there are only two or three items in the list presented, then the scrolling down effect will not happen in case there is enough place in browser below the list.

The screenshot shows a list view with a form below it. The list view has a table with columns for Title, StaticName, and Id. The form below has fields for Title and StaticName, both with 'ID' as the value. A red box highlights the 'ID' field in the form, and a red arrow points down from the list area.

<input type="radio"/> Title	StaticName	Id
<input type="radio"/> Title	Title	fa564
<input type="radio"/> Modified	Modified	28cf6
<input type="radio"/> Created	Created	8c06b
<input type="radio"/> Created By	Author	1df5e
<input type="radio"/> Modified By	Editor	d3165
<input type="radio"/> Has Copy Destinations	_HasCopyDestinations	26d07
<input type="radio"/> Copy Source	_CopySource	6b4e2

Form fields:

Title:

StaticName:

Get Value

### 13. Pagination

It is possible to select, first, next, any, previous or last page.

List-Fields Large List 2

Filter by Field:

<input type="radio"/> Title ↑	StaticName	Id
<input type="radio"/> Url	Url	2f31e
<input type="radio"/> Version	_UIVersionString	dce82
<input type="radio"/> VirusInfo	_VirusInfo	c4b17
<input type="radio"/> VirusStatus	_VirusStatus	df7ffe
<input type="radio"/> VirusVendorID	_VirusVendorID	32d40
<input type="radio"/> Waehrung	Waehrung	1ac7e
<input type="radio"/> Workflow Instance ID	WorkflowInstanceID	de8be
<input type="radio"/> Workflow Version	WorkflowVersion	f1e02
<input type="radio"/> Zahl	Zahl	515eb
<input type="radio"/> Zahl2	Zahl2	eb1bc

[< < 4 5 6 7 8 9 10 11 12 13 > >]

## 14. Get Value

Clicking in the selection block below the list on the button "Get Value" will display below this button a text field from which is possible to copy the value. This is practical for the ID values.

The screenshot shows a web application interface. At the top, there is a list of items with columns for a selection icon, a name, a value, and an ID. Below the list is a navigation bar with buttons for navigation and a page number '12'. The main content area is a detailed view of an item with several fields:

- Title:** A text input field containing 'Url'.
- StaticName:** A text input field containing 'Url'.
- Id:** A text input field containing '2f31e40b-7d47-4145-95de-35e3cae9504d'. Below this field is a 'Get Value' button, which is highlighted with a red box. Below the button is a text input field containing the same ID value: '2f31e40b-7d47-4145-95de-35e3cae9504d'.
- AutoIndexed:** A checkbox input field.
- CanBeDeleted:** A checkbox input field that is checked.
- ClientSideComponentId:** A text input field containing '00000000-0000-0000-0000-000000000000'.